

GOLDBLATT TOOLS FOR THE TROWEL TRADES



1960 FALL BULLETIN

**PRECISION BALANCED!
BROKEN-IN!
READY TO USE!**



CEMENT MASON'S Trowels










- **NO RIVETS:** Strong POWER PINS
- **FLEXIBLE STEEL BLADE**
- **FORGED ALUMINUM MOUNTING**
- **NATURAL WOOD HANDLES**

Not since the development of forged aluminum mounting (introduced by Goldblatt 14 years ago) has such a tremendous improvement been made in trowels! No more soft steel rivets to loosen or wear! Hard steel Power Pins* lock blade and mounting together forever. No more rivet holes to weaken the rib! Power Pins* don't penetrate top of rib—they actually form part of the rib itself. Rock-Rib* Trowels are completed by careful mirror finishing, and "broken in" by a special machine designed for this job alone. No other trowel ever made is as strong, as straight and as true as a Rock-Rib*! In your hand, you'll see the difference in trowels. On the job, you'll prove it!


GUARANTEED

Regardless of time limitation, we absolutely Guarantee Rock-Rib* Trowels against loosening of blades—against weakening or distortion of ribs—while these tools are safeguarded from deliberate abuse or mis-handling!


		SIZE	NUMBER POWER PINS*	CAT. NO.	PRICE
	10"	10"x3" WIDTH 10"x4" WIDTH	10 10	06 101 M7 06 102 M7	\$4.85
	11"	11"x4" WIDTH	10	06 107 M7	\$4.85
	12"	12"x3" WIDTH 12"x4" WIDTH 12"x4 1/2" WIDTH	10 10 10	06 111 M7 06 112 M7 06 113 M7	\$5.05
	14"	14"x3" WIDTH 14"x4" WIDTH 14"x4 1/2" WIDTH 14"x4 3/4" WIDTH	12 12 12 12	06 116 M7 06 117 M7 06 118 M7 06 119 M7	\$5.25
	16"	16"x3" WIDTH 16"x4" WIDTH 16"x4 1/2" WIDTH 16"x4 3/4" WIDTH	14 14 14 14	06 121 M7 06 122 M7 06 123 M7 06 124 M7	\$5.60
	18"	18"x3" WIDTH 18"x4" WIDTH 18"x4 1/2" WIDTH 18"x4 3/4" WIDTH	16 16 16 16	06 126 M7 06 127 M7 06 128 M7 06 129 M7	\$5.90
	20"	20"x4" WIDTH	18	06 131 M7	\$6.45
STAINLESS STEEL*		14" x 4" WIDTH	12	06 141 M7	\$6.25

CAMEL BACK HANDLE AVAILABLE ON REQUEST

PLASTERING TROWELS





**PRECISION
BALANCED
ULTRA-LIGHT
BROKEN-IN!**



MIDGET TROWEL — Great for window sills, closets, small areas. Carry one in your tool bag for these jobs. 7½" x 3" Camel Back Only ... **03 407 M7 ... \$4.50.**



			
SIZE	FOR CAMEL BACK HANDLE ORDER No.	FOR STRAIGHT HANDLE ORDER No.	PRICE
10½" x 4½"	03 455 M7	03 425 M7	\$ 4⁸⁵ EACH
11" x 4½"	03 451 M7	03 421 M7	
11" x 4¾"	03 447 M7	03 417 M7	
11½" x 4"	03 446 M7	03 416 M7	
11½" x 4½"	03 456 M7	03 426 M7	
11½" x 4¾"	03 448 M7	03 418 M7	
11½" x 5"	03 466 M7	03 436 M7	
STAINLESS STEEL			
10½" x 4½"	03 452 M7	03 422 M7	\$5.95
11" x 4½"	03 454 M7	03 424 M7	\$5.95
11½" x 4½"	03 453 M7	03 423 M7	\$5.95
HANDLE ONLY	03 408 M7	03 409 M7	45c

*Trademark Registered & Patent Pending

Made by the same Rock-Rib® method that has made our cement trowel the most widely used in the building industry, our plastering trowels are ultra-light. The fine, light as a feather forged aluminum mounting is strong enough to support a 200 lb. man, but weighs just four ounces. The entire trowel is built to be used on walls and overhead all day long, day in and day out with an absolute minimum of fatigue. **THIS IS AN ABSOLUTELY SUPERIOR PLASTERING TROWEL BACKED BY THE ONLY WRITTEN TROWEL GUARANTEE IN THE WORLD!**


Regardless of time limitations, we absolutely guarantee that the blade of a Goldblatt Plastering Trowel will not come loose from the mounting; the aluminum rib will not weaken or distort while these tools are safeguarded from deliberate abuse.



● **IMPROVED PIPE TROWEL**—Plaster hard-to-get-at places in half the time, with half the effort. The offset handle lets you slip the trowel between pipes; the long nose makes it easy to get it behind fixtures. 3" x 10½".
03 501 M7 ... \$ 5.25

CURVED BLADE DRYWALL TROWEL

A



Goldblatt TOOL COMPANY
1918 MAIN STREET, KANSAS CITY 1, MISSOURI



3 SIZES

10" x 4 1/2"

12" x 4 1/2"

14" x 4 1/2"

**ROCK-RIB®
CONSTRUCTION**
No Rivets



A ● **CURVED BLADE TROWEL**—For craftsmen who prefer a trowel type tool for finishing dry wall joints. Tempered, flexible spring steel blades have approximately 3/16" concave bow, (see photo) for perfect shearing. Blades are permanently fastened to the light-weight aluminum shanks with ten steel Power Pins. The finest drywall trowel made! Gives a perfectly balanced edge!

10" x 4 1/2"

05 510 M7 \$ 4.85

12" x 4 1/2"

05 512 M7 5.05

14" x 4 1/2"

05 514 M7 5.25

GUARANTEED ROCK-RIB NOTCHED TROWELS

B ● **V-NOTCH TROWEL**—Our "V-Notch" trowel is a combination tool. Special "V" notches spread both floor and wall pastes. Rock-Rib construction. 10 1/2" x 4 1/4"; notches, 3/8" x 3/8".

02 356 M7...\$4.85

● **BIG U TROWEL**—Minnesota Mining & Manufacturing Company recommends it for use with their CTA-II. We recommend it for general purpose mastic work. Makes spreading easy. Rock-Rib construction. 10 1/2" x 4 1/2"; notches 3/8" x 3/8" on 9/16" centers.....02 357 M7...\$4.85

● **LITTLE U TROWEL**—Has small 1/8" U-shaped notches for high adhesion. Recommended by Minnesota Mining especially for their CTA-12 Mastic. Rock-Rib construction. 10 1/2" x 4 1/2"; notches 1/8" x 1/8".....02 355 M7...\$4.85

● **DEEP U TROWEL**—Here is the trowel designed especially for the new tile mastics. Has 3/8" deep notches on 9/16" centers. Gives a good setting bed. Rock-Rib construction. 10 1/2" x 4 1/2".

02 358 M7...\$4.85

3/16" x 3/16"



Actual Size
of Notching

V-NOTCH TROWEL

FOR MASTIC

3/16" notch on 5/8" centers



Actual Size
of Notching

BIG U TROWEL

FOR MASTIC

9/16" on 9/16" centers




DEEP U TROWEL

Actual Size
of Notching

FOR THIN
BED MORTAR

1/16" x 1/16"




Actual Size
of Notching

LITTLE U TROWEL
FOR MASTIC




**Rock-Rib®
NOTCHED
TROWELS**





POINTING, MARGIN AND GAUGING TROWELS



POINTING AND MARGIN TROWELS—There are no better trowel forgings made than those that become Goldblatt Pointing and Margin Trowels. After forging, they are carefully, precisely hand ground to perfect taper and flexibility. This makes them the precision tool that professional trowel-tradesmen have used for 75 years. They are fitted with our finest maple handles, held permanently in place by a heavy metal ferrule.

The steel is in them. They have the balance. They have the flex. No finer pointing and margin trowels are made today.

A • Old Pro Pointing Trowels

These are the trowels used by workmen who know it takes good tools to do a good job. The built-to-take-it solid post is formed of the same steel forging as the trowel blade. The blade is individually taper-ground to just the right flex that experienced workmen require. Very lightweight. The fine maple handles are put on with a steel ferrule that makes them stay put.

4 1/2" Blade	09 321 M7	\$1.70
5 1/2" Blade	09 322 M7	1.70
7" Blade	09 323 M7	2.10

B • Old Pro Margin Trowels

These fine trowels are forged with the utmost care from the finest trowel steels made. They are solid, one-piece tools that will give you exceptional service, because of the precision with which they are finished. The fine forgings are individually taper-ground by hand to give each trowel the most perfect flexibility for its shape.

5" x 1 1/2" Blade	09 331 M7	\$1.70
5" x 2" Blade	09 332 M7	1.70
8" x 2" Blade	09 333 M7	2.20

These fine trowels are forged with the utmost care from the finest trowel steels made. They are solid, one-piece tools that will give you exceptional service, because of the precision with which they are finished. The fine forgings are individually taper-ground by hand to give each trowel the most perfect flexibility for its shape.

After grinding, each trowel is checked for balance and a fine maple handle is attached and held permanently in place with a heavy steel ferrule. You'll find that Goldblatt buttering and gauging trowels are preferred by tilesetters, asbestos insulation workers and other trowel tradesmen from coast to coast.

C • OLD PRO BUTTERING TROWEL—The finest forged buttering trowel made. Blade is 7" long, 4 1/8" wide at heel. Absolutely perfect balance. Taper ground for right flex.



09 341 M7 \$ 2.50

D • DUCK BILL, GAUGING & CROSS JOINT TROWELS—Taper ground for maximum flexibility. Solid, good-to-feel straight, grained wood handle. Just right balance for the professional workman.

OLD PRO GAUGING TROWEL—7" long, 3 1/4" wide at heel.	09 343 M7	\$ 2.50
OLD PRO DUCK BILL TROWEL—10" long, 2" wide at heel.	09 344 M7	2.50
OLD PRO CROSS JOINT TROWEL—4 3/4" long, 1 3/4" wide at heel.	09 345 M7	1.50

"Your tools have the finest temper of any tools I have ever used."

ROY ALDERMAN
GALAX, VIRGINIA.



THE *FINEST* BRICK TROWELS

For many, many years all bricklayers and stone masons used one certain brand of brick trowel—no other would do. But now, the man who makes his living with a trowel is switching to Goldblatt! Years of experience have proved to masons that only Goldblatt puts a quality trowel in your hand every time.

If you insist on a trowel with just the right hang, the balance you prefer, a comfortable-in-your-hand handle, the flex that guarantees quality steel, the trowel that always rings true—then you are ready to switch to Goldblatt trowels. Your Goldblatt trowel is precisely and patiently forged in one piece from special analysis, high carbon steel. Then it is ground by hand to the exact taper you need to give a blade that is tough, but light, sturdy but perfectly balanced.

Making trowels is like laying bricks—it can't be done by machine. The art of trowel making is still a one-man job. Our "trowel man" personally selects trowel forgings, one at a time. Once they have passed his rigid personal inspection, he slowly grinds them to a perfect balance, taper and shape. Once again, he examines the trowel to make sure that this is the precision tool you need. If the trowel passes this second inspection, a handle is put on it: either a steel ferruled hard wood handle, or the rugged Tenite plastic handle that is guaranteed not to crack or mushroom.

So you see, there is a reason why careful masons switch from their old brand to Goldblatt. They know that a Goldblatt trowel is the finest made today, that it is 100% Guaranteed: Satisfaction Or Your Money Back.

3 shapes
13 sizes

Plastic or hard wood handles.

Any trowel on this page

... *Only* -

\$4⁸⁵ wood handled

\$5³⁵ plastic handled

THE UNCONDITIONAL GOLDBLATT BRICK TROWEL GUARANTEE:

We unconditionally guarantee your money back if you are not completely satisfied with your trowel—even after you have used it in the mortar! We guarantee every Goldblatt Brick Trowel to be perfect—free from any flaw in material or workmanship. We guarantee to exchange your trowel for another Goldblatt Trowel of your choice if your Gold-

blatt Brick Trowel does not have the hang, the feel, the heft, the balance, the flex that you demand in your trowel.

NOTE: This Guarantee is unconditional (including use) except that it does not apply to any tool that has been battered or altered in shape or hang by the buyer, or trowels that have been worn more than 1/2" in length.

New Tenite Plastic Handle with the shape demanded by masons. 5 1/8" long. Shatterproof. Won't mushroom. Warm and comfortable. Easy to mount **01 101 M7...\$.95**


Highly polished 6" hardwood handle has a heavy steel ferrule. For the man that prefers our quality wood handle. A standard in the industry. **01 102 M7...\$.45**



**PHILADELPHIA
PATTERN**


With
Wood Handle **01 110 M7...\$4.85**
With
Plastic Handle **01 111 M7... 5.35**
Philadelphia Trowel 5 1/2" wide.

WIDE HEEL LONDON—YOUR CHOICE OF SIX SIZES





With Wood Handle **01 112 M7...\$4.85** (Specify Size You Want)
With Plastic Handle **01 113 M7... 5.35** (Specify Size You Want)
Wide Heel Trowels 5 3/8" wide. If you do not specify size, we will send you a 10 1/2" trowel.

NARROW HEEL LONDON—YOUR CHOICE OF SIX SIZES



With Wood Handle **01 116 M7...\$4.85** (Specify Size You Want)
With Plastic Handle **01 117 M7... 5.35** (Specify Size You Want)
Narrow Heel Trowels 4 3/8" wide. If you do not specify size, we will send you an 11" Trowel.



A ● BEVEL-END MAGNESIUM FLOAT—The float with a backbone. The most popular, widely used float we have ever manufactured. It has the strength of a forging. Tremendous durability. Very hard, long-wearing and extra lightweight. The backbone makes it the toughest tool of its kind on the market. This scientifically designed broken-in shape is extruded exclusively for Goldblatt by the nation's most experienced magnesium company. This gives the metal an extremely fine grain that makes it very, very hard.

We fit the blade with our finest natural wood float handle for comfortable all day, every day use. The corners are rounded. A natural for slab work. **Broken-in shape.**

16" x 3 1/2" BEVEL END FLOAT (Wt. 24 oz.)
06 150 M7... \$ 4.75
12" x 3 1/2" BEVEL END FLOAT (Wt. 16 oz.)
06 403 M7... \$ 3.25

B ● "THINLINE" MAGNESIUM FLOAT — This rugged new 16" float wears like iron. It is made of the same closely grained, extremely hard magnesium alloy extrusion as our Bevel-End Float. But it is extruded in the new "Thin-line" shape that holds the weight of a 16" tool down to a mere 20 ozs. The strength and durability of this float are phenomenal. Handles like a dream. The straight-grained natural wood

handle we attach securely to this float is Goldblatt's best.

This float is thin enough to work in the tightest quarters, even before we bevel the ends down to 3/16" thickness. This tool has the famous Goldblatt "BROKEN IN SHAPE" that pleases even the most finicky workman.

16" x 3 1/4" THINLINE FLOAT (Wt. 20 oz.)
06 164 M7... \$ 4.75

C ● 45" MAHOGANY DARBY — Specially designed three-grip handle makes this tool easy to use. Perfectly balanced: 3 1/2" wide at rear, tapers to 2 1/2" at point; 3/4" thick.

06 159 M7... \$ 5.25

D ● 28" MAHOGANY DARBY—Made of best, straight grain, kiln dried, imported mahogany. Manufactured to rigid specs: 3 1/2" wide at rear, tapers to 2 1/4"; 9/16" thick.

06 158 M7... \$ 2.85

E ● WIDE REDWOOD FLOATS—Select redwood, fine handles, light weight. Favorite for years. You'll always have a use for one. Two popular sizes.

12" x 4 1/2" 06 151 M7... \$ 1.15
15" x 4 1/2" 06 152 M7... 1.15

F ● BEVEL-EDGE REDWOOD FLOATS—Favorites for close form work. Select redwood. Two popular sizes.

15" x 3 1/2" 06 156 M7... \$ 1.15
18" x 3 1/2" 06 157 M7... 1.15

G ● CORK FLOATS—Smooth, imported, virgin cork 11" x 5" x 1".

Handled 06 154 M7... \$ 2.75
Without Handle 06 155 M7... 2.10

H ● WOOD-BACK CORK FLOAT — The 3/4" Portuguese cork face is cemented with an insoluble glue to the specially treated knot-free wood back. A strong, light, warp-proof float particularly suitable for cement finishing.

06 153 M7... \$ 3.05

J ● TEN-INCH FLOAT HANDLE—Particularly popular among cement finishers.


Available Carton of 12. 06 161 M7... 2 for 96c


K ● NINE & ONE-QUARTER INCH FLOAT HANDLE—For all types of floats.

Available Carton of 12. 06 162 M7... 2 for 96c

L ● SEVEN & ONE-QUARTER INCH FLOAT HANDLE—Favorite of plasterers and cement finishers.


Available Carton of 12. 06 163 M7... 2 for 96c





NEW

**HOOKE
LIFTS
REINFORCING
WIRE**



A • SINGLE-ACTION LONG HANDLED TROWELS — Spring steel blades, carefully tempered, ground and polished, fastened to aluminum mountings with exclusive Power Pins. 6' ash handle with steel ferrule and clevis. Adjustable positions.

18" x 5"	16 261 M7	\$ 9.00
24" x 5"	16 262 M7	10.50
30" x 5"	16 263 M7	11.50
36" x 5"	16 264 M7	14.00

NOTE: Subtract \$2.95 from prices listed above on any long handled tools ordered without Ash handles.

B • DOUBLE ACTION LONG HANDLED TROWELS—Same specifications as single action trowels plus double action tilting device which automatically tilts leading edge of blade up when pushing or pulling. Prevents digging into slab, assures good troweling action. 6' Ash handle with steel ferrule and clevis.

24" x 5"	16 266 M7	\$15.25
36" x 5"	16 268 M7	18.95
30" x 5"	16 267 M7	16.75

NOTE: Subtract \$2.95 from prices listed above on any long handled tools ordered without Ash handles.

C • MAGNESIUM COUPLING — Internal threads on this coupling attach Goldblatt Magnesium Handles together to make any length handle.

16 291 M7	\$.85
-----------	--------

D • MAGNESIUM EXTENSION HANDLES — Combine to make any length. Very lightweight magnesium. Six foot handle weighs only 32 ounces. Use with our Jitterbug Float, Fresno Trowels, Won't Warp Poplar Floats or 60" Magnesium Darby Page 7. With these extensions you make any length handle you need. Quick, fast, light and efficient. 4' and 6' sections threaded both ends and are furnished with one coupling. 12' section threaded one end only, includes no coupling.

4' Handle	16 294 M7	\$ 4.55
6' Handle	16 296 M7	6.55
12' Handle	16 292 M7	11.55

E • HANDLE ATTACHMENT — Attaches magnesium handles to long handled trowels, groovers and edgers.

16 299 M7...\$ 1.25

F • CONCRETE "KUMALONG"—The perfect strikeoff tool. One "Kumalong" is worth several shovels. Simple, practical — a thousand uses. Spreads, grades, smooths and floats! Fits inside a "Georgia" buggy. Use a few "Kumalongs" to make final screeding a snap. A unique jam-type ferrule prevents the 54" handle from slipping. 20" x 4" blade is made of 14 gauge cold rolled steel. 3 1/2 lbs. Kumalong with handle (Ships Parcel Post)

cel Post)	16 106 M7	\$ 3.95
Replacement handle	16 107 M7	.95

G • NEW! KUMALONG WITH HOOK — This is the same fine tool described above, with one important difference: this new tool has a hook attached to the top of the Kumalong blade to use to pull up reinforcing wire when placing concrete. Ends bending over to pull up the wire by hand. The hook is designed specifically for this job. Can't catch on wire accidentally. A great improvement on one of the most useful tools you'll ever use to place concrete.

Kumalong With Hook 16 105 M7...\$ 4.25

H • LONG HANDLED STAINLESS STEEL EDGER— As illustrated. —10" x 3" blade has 3/4" lip and 3/8" radius. Rust-resistant, self-cleaning stainless steel. 6' Ash handle with ferrule.

16 271 M7...\$ 7.95

NOTE: Subtract \$2.95 from prices listed above on any long handled tools ordered without Ash handles.

J • LONG HANDLE STAINLESS STEEL GROOVER— As illustrated. 10" x 3 1/2" blade has 1/2" groove with a 3/8" radius. Rust resistant stainless steel. 6' Ash handle with ferrule.

16 273 M7...\$ 9.45

NOTE: Subtract \$2.95 from prices listed above on any long handled tools ordered without Ash handles.

WOOD
LAMINATED

WON'T WARP
LAMINATED POPLAR FLOAT
AS LOW AS \$15⁹⁵

BIG FLOAT NEWS!

COMPLETE FLAT BOTTOM

Aluminum Jitterbug Float

COMPLETE WITH 6' HANDLE

ONLY

\$29⁹⁵

- VERY LIGHTWEIGHT
- EXTRA LONG REACH
- RUGGED AND LONG WEARING
- COMPLETE WITH HANDLE
- CLEANS FAST AND EASY
- EXTREMELY LOW PRICE

A ● GOLDBLATT SMOOTH BOTTOM ALUMINUM JITTERBUG FLOAT WITH 6' HANDLE—

The Float with a Backbone. A new high in quality... a new low cost. Complete with 6' handle, yet costs less than any other float of its kind. Backbone adds strength and prevents warping. This tool is top-grade, hard, extruded aluminum alloy, 8" wide. Not a casting! Has Goldblatt Broken-In-Shape. Handle is lightweight magnesium that fits the hand and prevents cramping. And it's flexible enough to give jitterbug action, stiff enough to float. Here is what you need: a lightweight, long-wearing float at a low price. It is easy to clean, has a long reach and you can jitterbug with it. Use it all day with no hand cramp. 42" model weighs under 9 lbs. Extra-hard aluminum alloy is extra-long wearing. Low, low price, (including handle) is below any other similar float on the market today. Lightweight magnesium handle is 6' long; combines with other Goldblatt handles to make any length.

42" x 8" Aluminum Float with 6' Magnesium Handle 16 545 M7 \$29.95
48" x 8" Aluminum Float with 6' Magnesium Handle 16 546 M7 33.95

REPLACEMENT PARTS FLOAT BRACKET—Bolts to float 16 558 M7 \$ 3.50

HANDLE ATTACHMENT — Attaches handles (Page 8) to Float Bracket 16 559 M7 \$ 2.00
Use Goldblatt Magnesium Handles and Couplings (Page 8) For Extra Long Reach

B ● WARP-PROOF LAMINATED POPLAR FLOAT—

Here is the fine wood float you've been waiting for. Light weight. Warp-proof because it's made of many strips of sturdy poplar laminated together with the grain "on edge." Poplar is best for floating, because it has just the right porosity and strength to do a fine job of finishing concrete. It is long-wearing, doesn't splinter. Will

finish thousands of yards of concrete with no signs of wear. Ends are thinned down to help you get under steps and other low clearance areas. Both the 48" and 60" floats are 1 3/4" thick in the middle, taper to 5/8" at the ends. With the Goldblatt Bracket, you can use as many magnesium handles (Page 8) as you need to reach way out.

60" x 7 1/4" Float Only 16 549 M7 \$18.50
48" x 7 1/4" Float Only 16 550 M7 15.95
60" x 7 1/4" Float Complete with 6' Magnesium handle 16 551 M7 \$23.50
48" x 7 1/4" Float Complete with 6' Magnesium handle 16 552 M7 \$20.95

C ● 60" "BIG BOY" MAGNESIUM DARBY

Made of lightest possible metal, this 60" x 3 1/2" darby weighs only 7 3/4 lbs. Comes with 6' adjustable height magnesium handle. It is a rugged tool that takes rough use, and gives good service. Won't discolor mastics or special compositions! Ideal for general concrete work.

06 146 M7 \$29.97

D ● MAGNESIUM STRIKE-OFF SCREEDS

Best for hand screeding. Can't warp like wood. Can't rust like steel. Once you've used one of our magnesium strike-off screeds, you will not use any other. Very lightweight. Easy to handle hollow magnesium alloy makes these screeds tops with contractors coast to coast. Ends are sealed. More concrete contractors use them every year. For top quality at very low cost, use a Goldblatt Magnesium Screed. All are 1" thick, 4 1/2" wide.

14' Magnesium Screed 16 208 E3 \$30.50
12' Magnesium Screed 16 207 E3 28.25
10' Magnesium Screed 16 206 E3 25.50

MAGNESIUM DARBY

Adjustable magnesium handle. Uses extension handles for long reach. Extremely light, easy to use.

Only \$29.97 with 6' handle

THE DARBY WITH
A BACKBONE!
SAME RUGGED
EXTRUSION AS
ITEM A ON
PAGE 7

C

60" x 3 1/2"—BROKEN IN
LIGHTWEIGHT — ONLY 7 3/4 LBS.

MAGNESIUM STRIKE-OFF SCREEDS
LIGHT BUT RUGGED—CAN'T RUST
ENDS SEALED!

14' SCREED—\$30.50
12' SCREED— 28.25
10' SCREED— 25.50

**FOUR FOOT
JITTERBUG
\$16.75**

Rubber grips are
easy on the hands.

**THREE FOOT
JITTERBUG
\$14.95**

Handle is angled
for best balance.

Remove four bolts to
take Jitterbug apart.

Steel grill is perforated
for lightweight, reinforced
for strength.

A • 4-FOOT "JITTERBUG" TAMPER — This lightweight tool tamps larger aggregate, and brings finer materials and fat to the surface. This makes a dense, compact slab. It eliminates topping. Improved 6½" x 48" grill is heavy gauge, perforated steel for longer life, less splash and easy cleaning. "Jitterbug" knocks down quickly for easy storage and hauling. Remove four large screws to take handle frame off grill. Haul it in your car trunk. Rubber handles give you safe, sure grip and cut down fatigue. Handle frame slightly bent for perfect balance. The grill stays flat. Overall weight: Only 14 ¾ lbs.
4" "JITTERBUG" 16 585 M7... \$16.75

B • 3' "JITTERBUG" TAMPER — 6½" x 36" Grill. Uses same handles as 4' "Jitterbug" Tamper. Handy 36" size is easy to handle. Light! Comfortable rubber grips won't cramp your hands. 12½ lbs.
..... 16 587 M7... \$14.95

C • KNEEL-LITE NEOLITE KNEE PADS—Tough Neolite plastic facing is long-lasting. Lined with felt shaped to fit your knee. Steel rivet construction holds pad in shape forever. One leather strap holds in place. These knee pads won't cut when you walk, won't slip down. Rugged but comfortable.Per Pair **06 173 M7... \$ 8.25**

D • LEATHER & FELT KNEE PADS — Fine harness leather lined with soft felt. Shaped almost flat but flexible and bend with the knee. These nerve-padding protectors assure comfort. Pliable leather straps never bind. The best!
Per Pair **06 171 H7... \$ 4.65**

E • RUBBER CUSHION KNEE PADS—Solid rubber surface for rugged long wear. The soft rubber on the inside cushions the knee socket. Adjustable web straps are completely embedded within the pad. These pads do not slip down when they are walked in. Prevent moisture from penetrating clothes, add life to work clothes. Increase efficiency; lessen fatigue.
Per Pair **06 170 H7... \$ 2.35**

F • FLUTED CARBORUNDUM RUB BRICKS WITH HANDLES — The comfortable, well-contoured handles minimize fatigue. Preferred by most concrete workers. The fastest, most economical cutting medium known for dressing down all kinds of concrete work. Two sizes, both 20 grit. (See page 18 for a powered grinder.)

6" x 3" x 1" 06 183 H7... \$ 3.29
8" x 3½" x 1½" 06 168 H7... 4.79



G • PAVER'S STRAIGHT EDGES — A very light, very accurate aluminum straight edge that means "inspection insurance" for your slabs. This tool makes very close inspection easy—all day long. Your slabs will pass inspection at once. Special hollow shape makes this tool very strong and straight, despite its light weight. The "hemmed" web keeps it "true as a die." 10' blade weighs only 4 lbs. 12' handle weighs only 3½ lbs. Your choice of flat or round bottom as illustrated in cross section drawings.

All include 12' handle except as noted. FLAT BOTTOM STRAIGHT EDGES

10'	16 561 E2	\$35.95
12'	16 591 E2	39.90
14'	16 592 E2	44.90
16'	16 593 E2	51.50
10' (Blade Only)	16 563 E2	29.95

ROUND BOTTOM STRAIGHT EDGES

10'	16 562 E2	35.95
10' (Blade Only)	16 564 E2	29.95

PAVER'S STEEL STRAIGHT EDGE (Not Illus.)
10' Weight 19 lbs. **16 573 E2 .. \$20.45**

**PAVER'S ALUMINUM STRAIGHT EDGES
FOUR SIZES: 10', 12', 14', 16'**


G



**SQUARE
BOTTOM**



**ROUND
BOTTOM**



A ● MATCHED CURB & SIDEWALK EDGERS

All these tools are 6" long, 4" wide, with 1½" lip. Stainless Steel. Radius as shown.

{ Outside Tool (½" radius)	06 246 M7	\$1.85
{ Inside Tool (½" radius)	06 251 M7	1.85
{ Outside Tool (¾" radius)	06 247 M7	1.85
{ Inside Tool (¾" radius)	06 252 M7	1.85
{ Outside Tool (1" radius)	06 248 M7	1.85
{ Inside Tool (1" radius)	06 253 M7	1.85

B ● Beyond a doubt, this is the most widely used edger in America. And the turned up ends are the reason. Cement finishers from coast to coast have proved to themselves that this tool is easier to work with than any other. Made of stainless steel, it is long wearing, non-rusting; almost cleans itself. Now made in two sizes. 6" long, 3" wide, ¾" lip on ¼" radius.

06 241 M7....\$1.55

6" long, 2½" wide, 1½" lip on ¼" radius.

06 242 M7....\$1.55

C ● OUTSIDE HIGHWAY EDGERS—Made to state specifications to rigid tolerances. Finest you can buy. Stainless steel wears best, cleans fastest, gives sharpest finishing possible!

10" long, 3½" wide with ¾" lip and ¼" radius06 258 M7....\$1.85

10" long, 4" wide with ½" lip and ¾" radius06 259 M7....\$1.85

NEW YORK STATE HIGHWAY EDGERS—10" long, 4" wide with 1" lip and 1" radius.

06 254 M7....\$1.85

9" long, 2½" wide with ½" lip and ½" radius.

06 255 M7....\$1.85

D ● MEDIUM SIZE BRONZE GROOVER—For grooving sidewalks. 5½" long, 3" wide, bit at widest point about 5/16", and ¾" deep.06 302 M7....\$ 2.75

E ● BRONZE EDGER—6" x 2¾" blade has curved ends, ⅝" lip, ¼" radius.

06 311 M7....\$ 2.65

F ● STEP TOOLS—A true Goldblatt specialty. Matched inside and outside step

tools. Give a high spec finish to stairs requiring a batter. Both tools 8" long, 4" wide; have 4" lip, ½" radius; give a ½" batter. Inside tool06 277 M7....\$3.25
Outside tool06 278 M7.... 3.25
SPECIAL—Matched pair 06 279 M7.... 5.98

G ● OUTSIDE SIDEWALK EDGERS

All these tools are 6" long. Stainless steel.

	Width	Lip	Radius	Price
06 261 M7	1½"	¾"	¼"	\$1.55
06 262 M7	2½"	¾"	¼"	1.55
06 263 M7	3"	½"	¼"	1.55
06 264 M7	3½"	½"	¾"	1.55
06 268 M7	3½"	⅞"	⅞"	1.55
06 265 M7	4"	⅞"	½"	1.55

EIGHT INCH EDGER

06 266 M7 4½" ⅝" ½" 1.85

H ● SIDEWALK GROOVERS—Here are the two most widely used groovers in America. Made of our special stainless steel in two sizes, these two tools can be used to groove most of the slabs you work on. They are practically self-cleaning, as all our stainless steel tools are. Sturdily built. No rivets, electrically welded throughout. Fitted with our finest straight grain natural wood handle.


● UNIVERSAL GROOVER . . . has 6" x 3" blade. Cuts ½" x ½" groove "clean as a whistle." And cleans just as easy.

06 208 M7....\$2.10

● JUMBO GROOVER . . . a very popular tool. 6" x 4¾" blade cuts ¾" x ½" groove. A reliable tool06 209 M7....\$3.00

J ● STEP AND CORNER TOOLS—All these tools 6" long, with 2½" sides. Radius as shown. 06 222 M7 cut back as shown in illus.

{ Outside tool (square)	06 221 M7	\$1.65
{ Inside tool (square)	06 222 M7	1.65
{ Outside tool (1/2" ra.)	06 223 M7	1.65
{ Inside tool (1/2" ra.)	06 224 M7	1.65
{ Outside tool (1/4" ra.)	06 225 M7	1.65
{ Inside tool (1/4" ra.)	06 226 M7	1.65
The Tools below have 4" sides.		
{ Outside tool (1/4" ra.)	06 227 M7	2.25
{ Inside tool (1/4" ra.)	06 228 M7	2.25



06 222 M7 ONLY IS CUT BACK AS SHOWN BELOW

A **NEW! IMPROVED BRAIDED NYLON LINE** — This rugged, easy-to-see nylon line is the first choice of masons and contractors all over the country. Made in two colors, green or white, this tough, tightly braided line tests over 100 lbs. It can't snap, rot or break in normal use due to extreme moisture or dryness. Won't mildew. Once it's stretched taut, it stays taut—won't sag. Eliminates needless twiggling. Won't break when accidentally hit by mason's trowel. Don't waste time with inferior line that breaks easily, wears out quickly and costs more in the long run. Our nylon line is now available in put-ups ranging from 1,000' to 100'. Order as much as you need. It's Good As Gold. **Be Sure to Specify Color You Want.** 1,000' (Green or White) **11 261M7... \$ 9.45**

B **BRAIDED NYLON LINE—500' TUBE** — The same fine, improved braided nylon line as above, but wound on 500' tube (Green or White) **SPECIFY COLOR 11 263M7... \$ 4.95**

C **BRAIDED NYLON LINE—250' WINDER** — Our fine nylon line on a special hardwood winder with metal cut-off. No hunting for a knife or hacking at the line to cut it if it's on a Goldblatt Cut-Off Winder. **Specify Color You Want.** 250' (Green or White) on Hardwood Cut-Off Winder **11 265M7... \$ 2.97**

D **NEW! DANDY DISCS—BRAIDED NYLON LINE** — Fine braided nylon line in a convenient, easy-to-use plastic disc. Keeps line clean, un-snarled; provides a simple way to store it between jobs. Each Dandy Disc contains 100' of top quality nylon braided line that tests over 100 lbs. Highly visible. Discs are connected so you can buy any length up to 1000' in this handy put up. **11 270 M7... \$ 1.40**

NEW! \$1.40 DANDY DISCS

F **NEW! TWISTED NYLON LINE** — This #15 twisted nylon line is specially treated to hold knots. For the man who knows the advantage of nylon line—and wants it—but does not need our specially braided line Items A, B, C, D. This lower cost line comes in 1/4 lb. tubes with over 350' per tube. Tests over 100 lbs! Pure white, easy to see and use. Outwears cotton line many times. A good buy at only 99¢ a tube. Twisted Nylon **11 259 H7... \$.99**

G **NEW! ADJUSTABLE LINESTRETCHER FOR CEMENT BLOCK** — At last, a line stretcher that works on every size of block. Fits all block from 4" to 12". To change sizes loosen wing nut and insert the bolt in a different hole. This one tool does the work of all sizes of non-adjustable stretchers. Has handy posts to wind your line on when not in use. Quality made of cast aluminum. Per Pair..... **01 247 M7 \$ 2.45**

H **BRICKLAYERS' HAMMERS** — Our Brick Hammers are made of high grade forged hammer steel. Perfectly balanced and superior in every respect. Comfortable hardwood handles carefully fitted. Weights are approximate.
 12 oz. Head..... **01 154 H7... \$ 3.10**
 18 oz. Head..... **01 155 H7... 3.35**
 24 oz. Head..... **01 156 H7... 3.55**

BRICK HAMMER HANDLES — Carefully turned from well seasoned hardwood. 12" long, comfortable, well balanced. **01 158 H7... \$.50**


H **BRICKLAYER'S CORNER BLOCKS** — They really hold the line. The line is wrapped around the stem. It is carried through the slot at the forks. Then between the wall and the flat face through the slot. The pull of the line draws the other face against the brick at right angles to the line. The other block is hooked in the same manner against the corner at the other end of the line and keeps it taut.
 Per Pair **01 250 M7... \$.75**

BRICKLAYER'S CORNER BLOCKS ONLY 75c A PAIR


HARDWOOD WINDERS ONLY—Envelope of 4 winders (includes no line) **11 260M7... \$.95**

For a Complete Line of Tools See Our 1960 ANNUAL CATALOG

SKATE WHEEL JOINT RAKER



ONLY
\$2.50



**CART
WHEEL
JOINT
RAKER**
ONLY **\$2.10**



"V" SLED RUNNERS



HALF ROUND CONVEX SLED RUNNERS

A • NEW! SKATE WHEEL JOINT RAKER—Designed to meet mason's demands for a big-wheeled joint raker. This new tool has specially hardened big diameter skate wheels mounted on 8½" rugged, forged aluminum handle. The husky, easy-to-grip handle is squared off at the end so you can rod joints with it. The hardened nail is adjustable for depth. Skate wheels are 1¾" in diameter, mounted 1¾" apart. Overall width, 3". Easy to use. Won't wear out. Skate Wheel Joint Raker . . . **01 210 M7 \$2.50**

B • BRICKLAYER'S ALUMINUM CART-WHEEL JOINT RAKER—When specifications call for raked mortar joints—this is the tool used. Bridges across and over mortar joints with two smooth-running hardened steel wheels approximately 1" diameter. A nail held by a thumbscrew projects through center of bridge and is adjustable for cutting out mortar to desired depth. Comfortable aluminum handle is pointed on end to use as jointer. Width at cartwheel 2½". The most popular Joint Raker in America! **01 209 M7 \$2.10**

C • "V" SLED RUNNERS—"Sleds" for perfect horizontal "V" joints. Popular in block construction. Width of sides, ¾".
14" long . . . **01 214 M7 \$ 1.75**
20" long . . . **01 228 M7 2.00**

D • HALF ROUND CONVEX SLED RUNNERS—These are the preferred steel tools for making half-round sunken or rodged masonry joints.
14" x ½" . . . **01 215 M7 \$ 1.75**
14" x ¾" . . . **01 216 M7 1.75**
14" x 1" . . . **01 217 M7 1.75**
20" x ½" . . . **01 229 M7 2.00**
20" x ¾" . . . **01 226 M7 2.00**
20" x 1" . . . **01 227 M7 2.00**

E • NEW! LONG BLADE, HIGH LIFT CAULKING TROWEL—The new size caulking trowel masons demand. Has a high lift for better knuckle clearance; square heel preferred by many masons. Blade is a full 7" long, forged from a single piece of the finest high carbon steel obtainable. The same quality that makes our regular caulking trowels (D, below) the standard caulking trowel throughout the world. Handle is fine maple, with a steel ferrule. Try

this new trowel. We guarantee you'll like it, or your money back. Available in eight widths, 3/16" ¼", ⅜", ½", ⅝", ¾", 7/8" and 1". All blades 7" long. Specify width when you order.

01 207 M7 \$1.75

F • EXPERT CAULKING TROWELS IN SIX SIZES—Designed with the assistance of professional masons. Endorsed by skilled masons for tooling flat, flush masonry joints. First-rate, top quality trowels which help you do the finest work possible—and make it easy on you, too. Hardwood handles, rugged steel ferrules. Well-shaped heels, comfortable "lift." Forged in one piece from a high carbon steel, then properly heat treated, ground and polished. This assures a responsive tool with plenty of "flex." Guaranteed unconditionally against defects in material and workmanship. Available in the six standard joint widths: ¼", ⅜", ½", ⅝", ¾", and 1". All blades 5½" long. Caulking Trowel (State widths desired) **01 206 M7 \$1.45**

G • LIGHTWEIGHT CONVEX BRICK JOINTER—For producing half round sunken or rodged joints. Each end makes different size joint. Overall length: 10½".
Blade width, ¾" x ½" **01 160 M7 \$ 1.10**
Blade width, ½" x ¾" **01 161 M7 1.10**
Blade width, ¾" x ¾" **01 162 M7 1.10**
Blade width, ¾" x 7/8" **01 165 M7 1.10**
Blade width, 7/8" x 1" **01 164 M7 1.10**

H • HEAVY WEIGHT CONVEX JOINTER—Produce half round sunken joints. Large at one end, tapered at other. 9½" long. ½" diameter at large end **01 170 H7 \$ 1.00**
¾" dia. at large end **01 171 H7 1.15**
¾" dia. at large end **01 172 H7 1.40**

J • SLICKERS OR DOUBLE BLADE CAULKING TROWELS—Carefully forged and tempered from a high carbon steel ⅝" thick throughout. Each end for different size joint. 10½" long.
¼" and ¾" wide **01 211 M7 \$ 1.00**
½" and ¾" wide **01 212 M7 1.00**
¾" and 7/8" wide **01 213 M7 1.00**

**NEW
HIGH LIFT
LONG BLADE**

AVAILABLE WIDTHS



¼", ⅜", ½",
⅝", ¾", 7/8", 1"



MEDIUM LIFT — MEDIUM BLADE

AVAILABLE WIDTHS



3/16", ¼", ⅜",
½", ⅝", ¾",
7/8", 1"



HEAVY WEIGHT
CONVEX
JOINTER

SLICKER

GOLDBLATT LEVELS | *the most accurate made!*



A ● GYRO-CORE BRASSBOUND MAHOGANY LEVEL WITH HAND HOLES—

This is the level the expert mason buys. It is made of finest Honduras Mahogany (a pleasure to touch in any weather). Flawless brass binding is double-locked to the strong, straight-grained stick. Each stick is carefully selected, kiln-dried and seasoned for this specific use. A fine waterproof varnish is then carefully applied to keep moisture out.

The fast bubbles in special fluid are hairline accurate. Gyro-Cores have no lenses to break or fog; the patented, precision ground shape of the bubble cavity makes one bubble do the work of two. 48", 42" and 24" levels have three Gyro-Cores; the 18" stick has two.

48" GYRO-CORE LEVEL WITH HAND HOLES (with free level case) 01 235 M7...\$19.95

B ● GYRO-CORE BRASSBOUND MAHOGANY LEVEL WITH HAND GROOVES — Same fine quality, expert's level as above, except that it has two carefully cut, precisely placed hand grooves for masons who prefer them.

GYRO-CORE LEVELS WITH HAND GROOVES INCLUDING FREE LEVEL CASE

48" Gyro-Core Level01 234 M7...\$19.95

42" Gyro-Core Level01 233 M7... 19.95

NO FREE LEVEL CASE WITH LEVELS BELOW

24" Gyro-Core Level01 232 M7... 11.95

18" Gyro-Core Level01 231 M7... 10.95

C ● ARMOR CLAD GYRO-CORE LEVEL

Won't warp, bend or change shape in any way due to heat, cold or moisture.

This Goldblatt Exclusive is a wood level 100% encased in a rugged aluminum alloy tube and fitted out with three guaranteed Gyro-Cores. The clear pine core in this level adds warmth and strength, but holds the weight down. Because it is all aluminum, it is smoothly polished with absolutely square, sharp, true edges. No other manufacturer makes a level like this! Has no bindings to come loose, can't warp—and, for five years, we guarantee the three Gyro-Cores will not leak or break.

48" GYRO-CORE ARMOR CLAD LEVEL WITH FREE LEVEL CASE01 244 M7...\$19.95

D ● BRASSBOUND MAHOGANY LEVEL WITH HAND HOLES, CONVENTIONAL VIALS

—This is the only level considered by the careful mason who wants the finest but prefers conventional vials. The cross section above shows how the expensive, flawless brass binding is carefully double-locked to the stick. The stick itself is fine, clear-grained Honduras Mahogany imported by us specially for use in our mason's levels. This combination of binding and mahogany has proved to be the professional mason's favorite. Can't be beat for

durability, dependability, accuracy. Carefully adjusted on the same type of precision instruments used to true our Gyro-Core Levels. Special varnish seals the stick against moisture. The hand holes are precision cut for perfect balance. The vials are rugged, clear glass with crystal sharp etched marks, and tough lenses to protect them. 4 plumb, 2 level vials.

48" BRASSBOUND LEVEL WITH HAND HOLES01 225 H7...\$15.45

E ● BRASSBOUND MAHOGANY LEVEL WITH CONVENTIONAL VIALS, HAND GROOVES — This is the same carefully made,

quality level described above—but made with hand grooves for the mason who prefers them to hand holes. The same top-quality materials are used throughout. 48" and 42" levels have 4 plumb, 2 level vials; 24" and 18" levels have 2 each.

48" level01 224 H7...\$14.95

42" level01 223 H7... 14.25

24" level01 222 H7... 7.50

18" level01 221 H7... 6.60

F ● ARMOR CLAD ALUMINUM LEVELS

Another exclusive with Goldblatt made for the careful craftsman who demands a level that absolutely won't warp. This level is the same as our Gyro-Core Armor Clad, except that it has conventional vials, comes in more sizes. It is very light, very accurate, trouble-free. Precision vials clearly marked; mounted with crystal clear, tough lenses. 48", 42", 24" levels have 4 plumb, 2 level vials; 18" levels have 2 plumb, 2 level vials.

48" Armor Clad Level.....07 194 M7...\$13.50

42" Armor Clad Level.....07 193 M7... 13.50

24" Armor Clad Level.....07 192 M7... 7.75

18" Armor Clad Level.....07 190 M7... 5.75

G ● I-BEAM REINFORCED LEVEL WITH

HAND HOLES—Here is a Mahogany level

that's all new! The rugged aluminum I-Beam guarantees that it won't warp. Select, fine-grained mahogany is bonded to the I-Beam to form a strong solid unit. The I-Beam forms tough, abrasion resistant edges that won't get out of "true." Yet this level is as warm to your touch as any brassbound level. Edges of the level are precision ground absolutely flat and parallel. 4 plumb, 2 level extra-tough pyrex vials.

48" I-Beam Level01 236 H7...\$16.98

42" I-Beam Level01 237 H7... 16.98

H ● I-BEAM LEVELS WITH HAND


GROOVES—This is the same fine, I-Beam reinforced level described above, but with hand grooves instead of hand holes.

48" I-Beam Level01 238 H7...\$16.98

24" I-Beam Level01 240 H7... 8.60


LP-GAS and OIL BURNING SALAMANDERS FOR ALL USES

NEW! LOW COST BLOWER SALAMANDER



LOW COST
HIGH HEAT

Both these salamanders burn low cost kerosene, #1 or #2 fuel oil for economical heat.



\$48.75

A ● FAMOUS SALAMANDER—With a return stack for more heat per dollar, this is the most popular work heater in the U.S. It's economical. "Side Pipe" returns soot to the bowl. Requires less cleaning. Easily moved. Can be regulated. Burning $\frac{1}{2}$ to 1 gal. of fuel per hour, it gives 70,000 to 140,000 BTU's. One filling lasts 10 to 20 hours. Has damper for fast extinguishing, carrying handles and clamp for securing cover to bowl. Overall height (including hood) 62 $\frac{3}{4}$ ". Fuel capacity, 10 gal. Weight 28 lbs. Shipping weight, approx. 31 lbs.

Single Salamander07 405 E2...\$22.45
Case of Four.....SAVE \$6.00... 83.80

B ● HY-LO SHORTY SALAMANDER—Ideal for inside work, 9" shorter than standard model, above. Has wide hood for better heat distribution and to protect anything overhead. Ideal for lathers, plasterers and others working indoors in unheated quarters. Overall height including hood, 53 $\frac{3}{4}$ ". Weight 27 $\frac{1}{2}$ lbs. Shipping 30 $\frac{1}{4}$ lbs. Bowl capacity 10 gal. Heat output, 70,000 to 140,000 BTU's per hour.

Single Salamander07 709 E2...\$24.45
Case of Four.....SAVE \$5.85...\$91.95

C ● NEW! FORCED AIR SALAMANDER — The only truly low cost forced air heating unit we know of. With the blower attached to it, this salamander puts out a minimum of 100,000 btu per hour—over 600 cu. ft. of clean heat at 300° Fahrenheit every minute. Heat that used to be wasted. The blower improves combustion by sucking more air through the salamander,



making it cleaner burning. Simple and trouble free. Blower can be used as fan in summer. Requires 110 volt outlet. Holds 10 gallons of kerosene, #1 or #2 fuel oil. Height, 43 $\frac{1}{2}$ "; weight, 33 lbs.

Forced Air Heater.....07 770 E2...\$48.75

D ● LOW COST, HORIZONTAL LP GAS SALAMANDER—This 200,000 BTU horizontal salamander burns clean, odorless LP-Gas. Gives the most heat for the least cost. Delivers heat close to the floor so warm air can rise to heat the whole room. Made of 16 gauge steel. Torch is removable. The most efficient, non-motorized salamander made. Comes complete with torch, 6' hose and regulator. 12" x 40" x 10". Ship. wt. 27 lbs. F.O.B. Onalaska, Wisc.07 748 E2...\$29.75
Above with Automatic Gas Shut-Off Safety Device (Ship. wt. 32 lbs.).....07 749 E2... 49.75

E ● NEW PORTABLE GAS SALAMANDER — This outstanding gas-fired salamander instantly gives clean, even heat. Super-safe, it has no fumes to leave smoke trails on new plaster. Less fire hazard than oil burning types. Inside baffle deflects heat against bottom shield. No hot spots over or under unit. Comes completely equipped with L.P. regulator and 12' neoprene hose with fittings. This ultra-safe, extra clean salamander weighs just 32 lbs. packed for shipping. Ships F.O.B. Harrisburg, Pa., Kansas City, Mo.
For 75,000 BTU Bottled Gas.....07 720 E2...\$28.95
For 75,000 BTU Bottled Gas with Automatic Shut Off07 721 E2... 39.95

LP GAS HEATERS HORIZONTAL SALAMANDER BURNS LP GAS



NEW! ROLLER BUG


**TAMPS & LEVELS
IN ONE OPERATION**

**DUAL
ROLLERS
ARE
SELF-
LEVELING!**

**Use it Like a Float
to Speed Tamping,
Improve Slab
Quality.**

**Eliminates Hand
Tamping—
Makes Floating and
Finishing Easier—
Saves Time.**

A



A • NEW! ROLLER-BUG—Here is the roller that has proved best. Experienced finishers find that the Roller-Bug brings up just the right amount of fat for smooth, easy floating, in less time than any other method. And, best of all, it levels as it rolls to help you level your slabs.

Contractors who have used the Roller-Bug are delighted with the surface it leaves for floating and finishing. It is ideal for all finishes: float, broom or trowel, or as a key for two course work.

FACTS ABOUT CONCRETE: The finest slab should have coarse aggregate distributed evenly from top to bottom, with just enough paste on top for easy finishing. Too much fat, as you know, results in peeling, spalling or dusting. Too little fat makes finishing difficult.

With this tool, two 5" diameter, reinforced 16 special pattern wire rollers ride on the large aggregate at the top of the pour to push it just below the surface. But, the rollers do not force the aggregate below the surface to settle, as hand tamping does.

The result: A tough, strong slab that resists weather, spalling, peeling or dusting. When do you use it? Just after screeding and before floating.

Forget about boots for your tamping man, because you don't wade in the mud to use this tool. It comes with a 12' magnesium handle. So you tamp by pushing the rollers across the work like a long-handled float. Once you've rolled the rollers over the slab and back, you've leveled and tamped an area 3' wide and as long as you can reach—in just about the time it takes you to read

this sentence. Compare that to hand tamping, and figure out the time you'll save.

This is a sturdy, built-by-Goldblatt Tool that is trouble free. No moving parts but the rollers. Nothing to get out of order. Maintenance is simple: Clean the dual rollers just as you do your other cement tools.

Specifications: 39" wide overall; rollers, 36" wide, 5" diameter; 12' magnesium handle attaches to other Goldblatt extension handles (Page 8) for even longer reach.


Satisfaction Guaranteed or Your Money Back. Grease-Packed Roller Bearings Guaranteed for ONE YEAR.

Roller Bug.....16 652 E5...\$44.50

B • You Do The Job 4-ways Better With Muller 4-blade Trowelers

- 1. WORK FAST**—because this trowel won't "waltz you around." You Control It—easily.
- 2. WORK HARD**, dry mixes other trowels can't touch—because you get 4-blade benefits; engines with extra "moxie."
- 3. WORK WELL**—Muller means "High Quality Finishing!" You trowel up flush-to-the-wall with Muller.
- 4. BE ON THE JOB** all the time—no time out for repairs with Muller . . . uses standard high quality parts.

You trowel and finish in a hurry with an "easy to handle" 4-blade troweler—it won't try to "get away" from you. These hard-working Muller



**MULLER
TROWELERS**

B

**PAY AS
YOU BUILD**

**BUY A
MULLER FOR
AS LITTLE AS
\$48.00 DOWN**

*Save Time!
Save Money!*

Trowelers are rugged, high quality time savers.

EXCLUSIVE SAFETY CLUTCH (pat. pend.) makes the engine easy to start; the handle easy to control while starting. Blade pitch is controlled from the waist-high handle. Comes complete with 4 finishing blades, 4 floating blades. Both sets are abrasion resistant, tough steel. Finishing blades can be reversed for extra wear. Stationary guide ring won't bounce off wall. You can finish flush!

MULLER 4-BLADE TROWELER SPECIFICATIONS

All come complete with Briggs & Stratton Engines, Timken Bearings, V-Belt Safety Clutch, set of float blades, set of finishing blades. All "Double Guaranteed" by Goldblatt and by Muller.

24" MULLER: 2½ hp engine; shpg. wt., 115 lbs.
F.O.B. Metuchen, N. J.16 391 E2 \$240.00
F.O.B. Kansas City, Mo.16 392 E2.. 245.00

29" MULLER: 2½ hp engine; shpg. wt., 120 lbs.
F.O.B. Metuchen, N. J.16 331 E2.. 265.00
F.O.B. Kansas City, Mo.16 332 E2.. 271.00

34" MULLER: 2.8 hp engine; shipping wt., 155 lbs.
F.O.B. Metuchen, N. J.16 381 E2.. 350.00
F.O.B. Kansas City, Mo.16 382 E2.. 357.00

• Extra Blades for Muller 3-blade Trowels available on request.

ORDER BLANK NO. 81560-FB-30

BA 1-4313

USE THIS CHECK TO ORDER TOOLS

FOLD THIS FLAP HERE AND WRAP AROUND ENVELOPE



● CARBIDE TIPPED CHISELS AND SCRIBE

—Here are the best tile chisels you can buy for any money. They are tungsten carbide tipped to hold their edge longer than steel, give you more accurate, cleaner cuts. They wear longer, stay sharp longer, cut more accurately. Hexagonal shank.

1/4" Carbide Tipped	Chisel..02 176 H7....	\$1.45
3/8" Carbide Tipped	Chisel..02 177 H7....	1.60
1/2" Carbide Tipped	Chisel..02 178 H7....	2.40
Carbide Tipped Tile	Scribe..02 179 H7....	1.60




● **TOUGH-BIT POINTS, SPLITTERS AND PLAIN CHISELS FOR STONE AND TILE**—These high quality perfectly tempered high carbon steel tools all have 8" shanks.

	1/4"02 151 H7....	\$.90
Tough-Bit	3/16"02 152 H7....	.90
Splitters	3/8"02 153 H7....	.90
	1/2"02 154 H7....	.90

	1/4"02 161 H7....	.70
Tough-Bit	5/16"02 162 H7....	.75
Points	3/8"02 163 H7....	.80
	1/2"02 164 H7....	.85

	1/4"02 166 H7....	.70
Tough-Bit	5/16"02 167 H7....	.75
Plain Chisels	3/8"02 168 H7....	.80
	1/2"02 169 H7....	.80



● **WIDE BIT CHISELS**—High carbon steel chisels. Perfectly tempered. Wide, flaring bits. Available separately or in a set as shown below. All have 5¼" shank.

1/4", with 3/4" bit.....	02 173 H7....	\$.70
5/16", with 1" bit.....	02 174 H7....	.85
3/8" with 1 1/4" bit.....	02 175 H7....	.90

Check Carries Authorized Signature

ACCOUNT NO.

19

DATE _____


L COMPANY

\$

DOLLARS

SIGNATURE _____

checking acct., please be sure to note acct. number



● STEEL OR CARBIDE TIPPED NIPPER—For

vorite narrow jaw wall tile nipper. Forged of fine tool steel, carefully hardened. Handle stops prevent jaws from biting together. A carbide tipped nipper outwears a steel nipper many times. Either of these tools is the best of its kind. Take your choice.

Carbide Tipped (Illus.)	02 138 H7	\$ 6.90
Plain Steel (Not Illus.)	02 137 H7	2.70

INCLUDE POSTAGE Please add 5% to the total of your order for postage and packaging—minimum 25c. Orders that cannot be shipped Parcel Post will be sent *transportation charges collect*, the cheapest way. We'll credit your account with postage you've sent us. Customers in Canada or in U. S. possessions: please add 10% for postage and packaging—minimum 50c.

SEND MONEY The safest way to pay is by Money Order or check. If you wire, send a Western Union Money Order. If you must send cash, be sure to register your letter.

**Add 5% for
postage and handling**

Total Enclosed

If you live in Missouri, please add 2% sales tax.

**IT'S EASY TO
ORDER BY MAIL**

**GIVE US COMPLETE
INFORMATION**

BE
SURE
TO:

Write in all
7 digits of
the catalog
number

Tell us
what size
you want

Give us
the name
of the
tool


Tell us
how many
you want

Show the price of this

Put in correct price for the quantity you

LEAVE BLANK	CATALOG NUMBER	SIZE	DESCRIPTION	QUANTITY WANTED	PRICE EACH	TOTAL COST	LEAVE BLANK
	06141117	40"	TAPERED MAGNESIUM DARBY	2	\$12.75	\$25.50	

BRICK MASONS' RULES & STEEL TAPES



A ● WOOD MODULAR "BUTT" RULE — First section is short for butting rule on first 16" module. All legs have square ends. Every joint opens on even numbers. Fine for 6" or 12" glass blocks. Six scales. Extends to 6' **01 512 H7...\$ 2.15**

B ● WOOD SPACING RULE—Made of select white maple cut with the grain. Six-inch legs are tough, flexible. Extends to 6' **01 163 H7...\$ 2.15**

● CLOSE OUT! MASON'S ALUMINUM SPACING RULE—(Not illus.) Made of rust-proof, self-cleaning aluminum alloy. Light, rugged and flexible. Snow-white background. Spring tempered bronze hinges really lock! Preferred for accuracy. Extends to 6'. A \$2.25 VALUE. **01.565 H5...\$ 1.89**

C ● NEW! "COURSE COUNTER" SPACING RULE—Small numbers in red, printed at right angles to regular coursing numbers tell you how many courses you've marked off or laid up. Made of straight grain hardwood, 1/8" thick (twice as thick as ordinary rules). Won't bend when you extend it upward. Plastic coated so numbers won't wear off. Joints lubricated for

life. Gives ten course spacings on one side; has inches, eighths and 16ths on other side. Six feet long. **01 167 H7...\$ 2.50**

D ● MASON'S STEEL SPACING TAPE—10' steel tape with same features as the Modular Tape, below, but the markings are mason's spacing markings. Feet and inches marked along one edge of blade, spacing marks on other edge. **01 516 H7...\$ 2.95**

E ● MASON'S MODULAR STEEL TAPE — Carry this steel tape with you in your pocket. Has modular markings for all common brick. Extends to full 10' for maximum usefulness. Blade rolls easily into chrome plated case. **01 515 H7...\$ 2.95**

F ● STEEL MORTAR BOXES—Leak-proof, perfectly smooth interiors make mixing or cleaning easy. All joints electrically welded. Won't warp, shrink, or open up. Place over a fire to heat mortar or cement in cold weather. Made of heavy gauge rust-resistant, copper steel. Outside edges steel angle reinforced for strength

15 CU. FT. MORTAR BOX—14 gauge steel. 82" long, 34" wide, 11" deep. Weighs 114 lbs. **07 205 E5...\$39.45**

9.2 CU. FT. MORTAR BOX—16 gauge steel. 64" long, 28" wide, 11" deep. Weighs 62 lbs. **07 206 E5...\$27.95**


6 CU. FT. MORTAR BOX—16 gauge steel. 53" long, 25" wide, 11" deep. Weighs 49 lbs. **07 210 E5...\$22.95**

G ● STURDY TUBULAR STEEL FOLDING MORTAR BOARD STAND — You'll like this tubular steel frame for scaffolding because it's sturdy and easy to handle. Outlasts ten wooden stands. One replaces two box stands, as it can be upended to make a 30"-high floor stand. Folds. Weighs under 18 lbs. **1T 291 E2...\$10.95**

H ● BRICK HANDLERS OR TONGS—A heavy duty tool built for long service. Carries as many as 10 brick. Adjusts to carry a smaller number of brick. Made of light rugged metal alloy, these tongs save time and money. Can't damage bricks. No maintenance. **11 280 H7...\$ 3.95**


J ● BRICKLAYER'S SET WITH BEVEL EDGE —Forged from finest quality Tool Steel, well tempered. Well balanced, comfortable to hold, certain to please.

2 1/2" wide blade **01 132 H7 \$ 1.20**
3" wide blade **01 133 H7... 1.35**
4" wide blade **01 134 H7... 1.75**




F
LEAK-PROOF
STEEL
MORTAR BOXES!

**FOLDING
MORTAR BOARD
STAND**




G




30"

**GOLDBLATT
BRICK TONGS
\$3.95**



H

J



MULLER MORTAR MIXERS

A NEW! 3 CUBIC FOOT "MORTAR MAGIC" MIXERS — MIX PLASTER, MORTAR, JOINT CEMENT, TERRAZZO — The real "all-around" mixer for the contractor who wants to save money and keep his small crews busy at a profit all the time. These small but mighty mixers are designed for you. Mason contractors, plasterers and dry wall contractors use these mixers day in, day out, year after year. They pay for themselves many times over in time saved, convenience and portability. And, man, they are rugged. These mixers take the kind of day-after-day use you'll want to give them. Just perfect for contractors who can use a second mixer to supplement their big one. In some cases, on larger jobs, two of these small babies will pay off faster than one big mixer. This is a mixer you will always find a use for. Buy one—or two—they're guaranteed "Good As Gold."

NEW! 3 CU. FT. MIXERS—With 1.7 hp Briggs & Stratton engine. 10" x 1.75" solid rubber tires. Weight, 200 lbs.

F.O.B. Kansas City, Mo. 07 334 E2 ... 251.00
With Rubber Mixing Blades—

F.O.B. New Jersey 07 325 E2 ... 251.00

With 1/2 hp electric motor, 110 volts, 1 phase. 10" x 1.75" rubber tires. 200 lbs.

F.O.B. Kansas City, Mo. 07 336 E2 ... 263.00
With Rubber Mixing Blades—

F.O.B. New Jersey 07 327 E2 ... 263.00

NEW! 5 1/2 CU. FT. "MORTAR MAGIC" MIXERS

1. Safety Grid that's approved in all states. Reduces accidents. 2. Easy Charging Height, makes loading easy. 3. An abrasion resistant steel drum for extra-heavy-duty, long life. 4. Guaranteed-for-life paddle shaft seals. 5. Positive clutch stops paddles without stopping engine. 6. Sealed roller bearings on counter shaft. 7. Two-piece engine housing for easy ventilation. 8. Thorough end-to-end mixing action. 9. Over-size, extra-power gasoline engine or electric motor. 10. Twin-belt drive for smooth, reliable operation. 11. Pneumatic tires on wide base, but 12. Narrow enough to go through doorways. 13. Rubber Scraper Blades available.

With 3 hp Clinton Engine—Weight 480 lbs.
F.O.B. Metuchen, N.J. Only 07 300 E2 \$360.00
Rubber Bladed, F.O.B. N.J. 07 301 E2 380.00

With 2.7 hp Briggs & Stratton 480 lbs.

LIGHTWEIGHT PORTA-MIX



Rubber bladed mortar bar inserts easily.

PAY AS YOU BUILD

TAKE IT ANYWHERE



Dump Directly Into Mortar Box.



TILTS BACK FOR OVERSIZE BATCHES

F.O.B. Kansas City, Mo. 07 502 E2 407.00

Rubber Bladed, F.O.B. N.J. 07 303 E2 405.00

With 3.1 hp Wisconsin Engine. Wt. 550 lbs.

F.O.B. Kansas City, Mo. 07 504 E2 437.00

Rubber Bladed, F.O.B. N.J. 07 305 E2 435.00

With 110 Volts, 1 Phase 1 1/2 hp Electric Motor. Weight 460 lbs.

F.O.B. Kansas City, Mo. 07 507 E2 437.00

Rubber Bladed, F.O.B. N.J. 07 308 E2 435.00

B • NEW! PORTA-MIX—The most maneuverable, fastest working mixer you can buy. You can take it with you—right into the room where you are plastering, or up on the scaffold where you're laying brick. And at the same time—because of its work cycle, you can get as much plaster or mortar out of this mighty little half-bagger as you can from any one-bagger in the same amount of time! Capacity is 1 1/2 cu. ft. Loading height is low, to make the Porta-Mix easy to work with. Two internal blades rotate with the drum to guarantee a thorough mix. A special rubber-bladed mortar bar inserts into the mixer drum to prevent buildup on the inside of the drum and to wipe it clean with every revolution.

Short Tubular bends and all-welded steel construction build long life into this husky machine.

A 1/2 hp electric motor or 2.5 hp two-cycle gasoline engine works through a gear box with quick-change clutch to drive the drum through a notched V-Belt.

Semi-pneumatic tires are standard equipment.

Porta-Mix Complete with 1/2 hp electric motor and special rubber bladed mortar bar.

F.O.B. Kansas City, Mo. 07 620 E5 \$174.95

F.O.B. Spokane, Wash. 07 621 E5 168.45

Only \$32.70 Down ...

Porta-Mix Complete with 2.5 hp Gasoline Engine and special rubber bladed mortar bar. Cannot be tipped back on handles for vertical mixing as illus. above.

F.O.B. Spokane, Wash. 07 623 E5 177.00

Only \$35.40 Down ...

NOTE: Special Rubber Bladed Mortar Bar not needed to use this mixer as a cement mixer only. To order as cement mixer, deduct \$19.95 from prices shown.



QUIKSTIR MIXER TWO SIZES

No More Soaking!
No More Screening!


- 100 sq. yds. Extra Coverage Per Ton of Lime.
- Lightweight, Portable—Easy To Clean.
- Uniform Working Qualities Every Day.
- No Drying Out In Hot Weather ... No Freezing In Winter.
- Cuts Gauging Time! Putty Blends Easier!
- Eliminates Hot Spots and Paint Discoloration.



C • One-bag and three-bag models. Both mixers LOW COST, LIGHTWEIGHT, FAST WORKING. Just pour in water and lime; then hit the switch. In a few minutes you have the smoothest, easiest spreading finish coat you ever worked. And lots of it. The One-bagger turns out enough lime putty to keep up to 20 men busy. The three-bagger is great for spray-on plasters. They clean in seconds; fit in your car trunk. Both models have weatherproof top, Westinghouse heavy-duty motor, sealed waterproof gear box, and **GUARANTEED BY GOLDBLATT**. Whether you work alone or have a crew to keep busy, you're money ahead with Quikstir.

ONE-BAG QUIKSTIR (F.O.B. Port Clinton) 13 700 E2 \$129.50

THREE-BAG QUIKSTIR (F.O.B. Port Clinton) 13 702 E2 149.50



MASONRY BLADES

shatterproof

10" — 12" — 14"

hand saw

6" — 7" — 8"

A • MASONRY BLADES — When you buy a Goldblatt Blade for your big saw, you buy the best. Fiberglass molded right into the blade makes it practically unbreakable. Each blade has exactly the right amount of abrasive to give you long blade life along with fast cutting speed.

We will ship dry cutting blades unless you specify wet.

HARD MATERIALS BLADES — Cuts these **BRICKS**: Glazed, Shale, Stiff Mud Face, Vitreous Face and Acid Proof Firebrick; these **TILES**: Glazed Vitreous, Manganese, Quarry, Roofing, Terra Cotta Extruded, Unglazed Vitreous and Wall Tile; plus these **STONES**: Limestone, Marble, Slate and Granite. All Blades are Shatterproof.

14" Blade	11 509 H6	\$ 7.50
Save on Carton of 10		60.00
12" Blade	11 511 H6	6.20
Save on Carton of 10		48.00
10" Blade	11 523 H6	5.20
Save on Carton of 10		40.50

Specify material you intend to cut.

MEDIUM HARD MATERIALS BLADES — Cuts Common and Cinder Brick; Flagstone and Dense Sandstone; these **BLOCKS**: Glazed, Haydite, Sand & Gravel and Concrete Precast; these **TILE**: Common Backup, Glazed Semi-Vitreous, Cast Terra Cotta; **TRANSITE**.

14" Blade	11 505 H6	\$ 7.50
Save on Carton of 10		60.00
12" Blade	11 507 H6	6.20
Save on Carton of 10		48.00
10" Blade	11 522 H6	5.20
Save on Carton of 10		40.50

Specify material you intend to cut.

MASONRY POWER HAND SAW


\$97.50

ONLY 19.50 DOWN


PAY AS YOU BUILD

14" MASONRY SAW NO OTHER AT THIS LOW PRICE

\$364.00 ONLY 72.80 DOWN



C



NEW LOW PRICE ONLY \$19.95



• BRICK, STONE & TILE CUTTER—

Goes anywhere with you—even on the scaffold. A solid whack with a 2-lb. hammer (or heavier) cuts brick, block or stone up to 8" wide, 4" high. Entire tool is carefully machined tool steel, painted with rust resisting paint. Blades are tough, tempered steel. Overall height, 8 3/4". Base, 11" x 4" x 1/2". Wt. 15 lbs. 11 313 E2 \$19.95

• **BIG BUSTER**—Same rugged construction as above, but beefed up. Has 12" wide, 6" high cutter opening. Wt. 40 lbs. 11 315 E2 \$49.50

• SHATTERPROOF HAND SAW BLADES—

Our 6", 7" and 8" blades for your hand saw are fast cutting and virtually unbreakable. To order be sure to check these four important points: 1. Specify make of your saw so we know if you need a FREE Arbor Insert. 2. We ship DRY CUTTING ONLY. 3. Order by the carton and save up to \$9.50. 4. Specify material you intend to cut!

GUARANTEED SHATTERPROOF

6" Blade	11 516 H6	\$ 3.10
Save on Carton of 10		24.00
7" Blade	11 517 H6	3.70
Save on Carton of 10		28.00
8" Blade	11 518 H6	4.20
Save on Carton of 10		32.50

B • MASONRY POWER HAND SAW — The only belt-driven power hand saw. A fast, powerful, heavy duty tool designed for the constant rugged use that masonry cutting demands. It is gearless. The heavy-duty V-belt drives the blade at 4500 rpm from a 110 volt, AC-DC motor. The belt protects the operator (and motor) from shock and excess vibration. This is the best power handsaw made for masonry cutting. Using Goldblatt Power Hand Saw blades, listed on this page this saw easily cuts concrete, stone, tile brick and other hard materials. Comes complete with combination wood-cutting blade, wrench, instructions and 15' cable.

8 1/4" Dry Cutting Model (takes any masonry blade up to 8") 11 402 E2 \$ 97.50

8 1/4" Wet or Dry Cutting Model (includes wet cut attachment) 11 403 E2 112.50

C • MASONRY SAW—This is the high quality masonry saw alert contractors buy because it has all the convenient features of higher priced saws for at least \$50.00 less than others! Buy the very low priced 14" saw or the 18" model that

takes blades up to 18". Here are the features you need (and get) on our Masonry Saw: instant changes of head angle for different cuts or changes in blade diameter; a cutting head lock that locks to the pivot bar, but removes in less than 3 seconds for easy toting; an easy-to-use belt tightener; a self priming pump unconditionally guaranteed for one year; instant voltage conversion switch. With the right masonry blade, this saw will cut any kind of masonry material. Easy-opening Blade Cover lets you get right at the blade with "no sweat"; helps cut blade changing time. All bearings are sealed. The cart is 24" wide. An adjustable Guide Stop for 45° and 90° cuts is included. All parts guaranteed against defects of materials or workmanship; pump guaranteed unconditionally for one year.

1 1/2 HP MOTOR STANDARD ON 14" SAWS (2 HP available at extra cost)

14" Dry Cutting Saw 11 397 E3 \$364.00

14" Wet Cutting Saw 11 398 E3 399.00

D • MASH HAMMER — With handle.

2 pounds	01 352 H7	\$ 4.30
3 pounds	01 353 H7	4.50

E • TOOTH CHISELS—All 8" long.

3/4" dia. x 1 1/4" wide	01 312 H7	\$ 1.45
3/4" dia. x 1 3/4" wide	01 313 H7	1.70
3/4" dia. x 2 1/4" wide	01 314 H7	1.80
3/4" dia. x 2 3/4" wide	01 315 H7	1.85

F • PLAIN CHISELS—Also used as Block Cutting Chisels. All 8" long.

3/4" dia. x 1 1/4" wide	01 322 H7	\$ 1.25
3/4" dia. x 1 3/4" wide	01 323 H7	1.40
3/4" dia. x 2 1/4" wide	01 324 H7	1.55
3/4" dia. x 2 3/4" wide	01 325 H7	1.65


NOTE: These Tooth and Plain Chisels are for scoring stone only.




Stone Masons' MASH HAMMER

D


\$4³⁰



E



F



MASONRY BLADES

shatterproof

10" — 12" — 14"

hand saw

6" — 7" — 8"

B

MASONRY
POWER
HAND SAW

\$97.50

ONLY
19.50 DOWN

PAY AS
YOU BUILD

14"
MASONRY SAW
NO OTHER AT
THIS LOW
PRICE

\$364.00
ONLY 72.80
DOWN

C



NEW LOW PRICE
ONLY \$19.95



● BRICK, STONE & TILE CUTTER—

Goes anywhere with you—even on the scaffold. A solid whack with a 2-lb. hammer (or heavier) cuts brick, block or stone up to 8" wide, 4" high. Entire tool is carefully machined tool steel, painted with rust resisting paint. Blades are tough, tempered steel. Overall height, 8 3/4". Base, 11" x 4" x 1/2". Wt. 15 lbs. 11 313 E2 \$19.95

● BIG BUSTER—Same rugged construction as above, but beefed up. Has 12" wide, 6" high cutter opening. Wt. 40 lbs. 11 315 E2 \$49.50

A ● MASONRY BLADES — When you buy a Goldblatt Blade for your big saw, you buy the best. Fiberglass molded right into the blade makes it practically unbreakable. Each blade has exactly the right amount of abrasive to give you long blade life along with fast cutting speed.

We will ship dry cutting blades unless you specify wet.

HARD MATERIALS BLADES — Cuts these **BRICKS**: Glazed, Shale, Stiff Mud Face, Vitreous Face and Acid Proof Firebrick; these **TILES**: Glazed Vitreous, Manganese, Quarry, Roofing, Terra Cotta Extruded, Unglazed Vitreous and Wall Tile; plus these **STONES**: Limestone, Marble, Slate and Granite. All Blades are Shatterproof.

14" Blade	11 509 H6	\$ 7.50
Save on Carton of 10		60.00
12" Blade	11 511 H6	6.20
Save on Carton of 10		48.00
10" Blade	11 523 H6	5.20
Save on Carton of 10		40.50

Specify material you intend to cut.

MEDIUM HARD MATERIALS BLADES — Cuts Common and Cinder Brick; Flagstone and Dense Sandstone; these **BLOCKS**: Glazed, Haydite, Sand & Gravel and Concrete Precast; these **TILE**: Common Backup, Glazed Semi-Vitreous, Cast Terra Cotta; **TRANSITE**.

14" Blade	11 505 H6	\$ 7.50
Save on Carton of 10		60.00
12" Blade	11 507 H6	6.20
Save on Carton of 10		48.00
10" Blade	11 522 H6	5.20
Save on Carton of 10		40.50

Specify material you intend to cut.

● SHATTERPROOF HAND SAW BLADES—

Our 6", 7" and 8" blades for your hand saw are fast cutting and virtually unbreakable. To order be sure to check these four important points: 1. Specify make of your saw so we know if you need a FREE Arbor Insert. 2. We ship DRY CUTTING ONLY. 3. Order by the carton and save up to \$9.50. 4. Specify material you intend to cut!

GUARANTEED SHATTERPROOF

6" Blade	11 516 H6	\$ 3.10
Save on Carton of 10		24.00
7" Blade	11 517 H6	3.70
Save on Carton of 10		28.00
8" Blade	11 518 H6	4.20
Save on Carton of 10		32.50

B ● MASONRY POWER HAND SAW — The only belt-driven power hand saw. A fast, powerful, heavy duty tool designed for the constant rugged use that masonry cutting demands. It is gearless. The heavy-duty V-belt drives the blade at 4500 rpm from a 110 volt, AC-DC motor. The belt protects the operator (and motor) from shock and excess vibration. This is the best power handsaw made for masonry cutting. Using Goldblatt Power Hand Saw blades, listed on this page this saw easily cuts concrete, stone, tile brick and other hard materials. Comes complete with combination wood-cutting blade, wrench, instructions and 15' cable.

8 1/4" Dry Cutting Model (takes any masonry blade up to 8") 11 402 E2 \$ 97.50

8 1/4" Wet or Dry Cutting Model (includes wet cut attachment) 11 403 E2 112.50

C ● MASONRY SAW—This is the high quality masonry saw alert contractors buy because it has all the convenient features of higher priced saws for at least \$50.00 less than others! Buy the very low priced 14" saw or the 18" model that

takes blades up to 18". Here are the features you need (and get) on our Masonry Saw: instant changes of head angle for different cuts or changes in blade diameter; a cutting head lock that locks to the pivot bar, but removes in less than 3 seconds for easy toting; an easy-to-use belt tightener; a self priming pump unconditionally guaranteed for one year; instant voltage conversion switch. With the right masonry blade, this saw will cut any kind of masonry material. Easy-opening Blade Cover lets you get right at the blade with "no sweat"; helps cut blade changing time. All bearings are sealed. The cart is 24" wide. An adjustable Guide Stop for 45° and 90° cuts is included. All parts guaranteed against defects of materials or workmanship; pump guaranteed unconditionally for one year.

1 1/2 HP MOTOR STANDARD ON 14" SAWS

(2 HP available at extra cost)

14" Dry Cutting Saw	11 397 E3	\$364.00
14" Wet Cutting Saw	11 398 E3	399.00

D ● MASH HAMMER — With handle.

2 pounds	01 352 H7	\$ 4.30
3 pounds	01 353 H7	4.50

E ● TOOTH CHISELS—All 8" long.

3/8" dia. x 1 1/4" wide	01 312 H7	\$ 1.45
3/4" dia. x 1 1/4" wide	01 313 H7	1.70
3/4" dia. x 2 1/4" wide	01 314 H7	1.80
7/8" dia. x 2 3/4" wide	01 315 H7	1.85

F ● PLAIN CHISELS—Also used as Block Cutting Chisels. All 8" long.

3/8" dia. x 1 1/4" wide	01 322 H7	\$ 1.25
3/4" dia. x 1 1/4" wide	01 323 H7	1.40
3/4" dia. x 2 1/4" wide	01 324 H7	1.55
7/8" dia. x 2 3/4" wide	01 325 H7	1.65


NOTE: These Tooth and Plain Chisels are for scoring stone only.




Stone Masons'
MASH HAMMER

D

\$4³⁰




E




F

Heavy Duty ADJUSTABLE SCAFFOLDS



A

Adjustable SCAFFOLD BRACKETS



B


SCAFFOLD BRACKETS



C

Sold only
in
sets of 12.

JIFFY JACKS



D

Only
\$14.35
a pair

A • HEAVY DUTY ADJUSTABLE TRESTLES

—Here is a trestle that makes scaffolding jobs move faster and safer. You can trust Goldblatt TROUBLE SAVER Scaffolding. Each trestle supports more than a ton—safely. Made of highest rail carbon steel, they will not bend in normal use. Use no tools to adjust (two jacks, below, make a trestle). Standard Handle Nuts lock all adjustments. Raise or lower the jack with one fool-proof adjustment. No tools needed. They go up fast; come down easy.

Order No. 07 102 E2. Specify size. All prices F.O.B. Uniontown, Pa.

Size No.	No. Adjustments	For Working Heights	Weight Lbs.	Price per Trestle
2	4	7½' to 7¾'	15½	\$12.40
3	5	8' to 9'	21½	13.35
3½	5	8½' to 9½'	24½	14.15
4	6	9' to 10¼'	28	15.30
6	9	10' to 12'	53	19.50
8	11	11½' to 14'	74	25.45
10	15	12½' to 16'	113	39.15
12	19	13' to 18'	153	46.30

B • MASON'S SCAFFOLD BRACKETS—You can lay 25% to 50% more bricks with these brackets than you can from ordinary frame or wooden horse scaffolding. Why? Because you never stoop to reach material, it's always at waist level. These scaffold brackets are con-

tinuously adjustable by "pumping" the foot lever. You never stop to rebuild the scaffold when you want to raise it.

Here's how it works. 4 x 4 uprights made of 2 x 4's fasten to the wall by swivel joint top braces. You raise the scaffold on these 4 x 4's by "pumping" the foot lever on each bracket. Your weight raises the scaffold. A hand crank lowers the rig. Set up time takes as little as seven minutes per unit! All materials are reusable except six nails. The mason works on the inside platform; materials are placed on the middle platform by the laborer who works on the outside platform. The brackets adjust perfectly on uneven ground because the uprights are independent of each other. The top braces adjust to corners and angles. Load tests prove each bracket sustains a minimum of 2000 lbs. Complies with most State Safety Codes.

COMPLETE SCAFFOLD BRACKET SET—Includes Two Scaffold Brackets complete with Materials platform Supports and Two Patented Swivel Top Braces. F.O.B. Paterson, N.J. 11 411 E4 .. \$59.60

C • SCAFFOLD BRACKETS—Fold compactly for storage. Made of rail carbon steel, they will not bend or break. Two legs brace them at the right place. Put them up or take them down in a fraction of the time it takes to build even a makeshift wooden scaffold. Two styles—to fit through hole in sheathing and

around stud; or to nail to sheathing.

• SCAFFOLD BRACKETS—All scaffold brackets ship F.O.B. Uniontown, Pa. Sold only in sets of 12. Price and weight shown are for sets of 12 Scaffold Brackets.

NAIL ATTACHED BRACKETS

Length	Wt. Per 12	Stock No.	Price for 12
3½'	184 lbs.	07 573 E2	\$62.40

STUDDING BRACKETS

Length	Wt. Per 12	Stock No.	Price for 12
3'	165 lbs.	07 574 E2	60.60
3½'	200 lbs.	07 575 E2	65.40


D • JIFFY JACKS—Most versatile scaffold equipment you can buy—no matter what you pay. And costs less than any other. Why have a dozen sizes of trestles, when most jobs call for only one size at a time? Buy these Jiffy Jacks: You use only one basic unit. Get any height you want from 2' to 12' simply by changing 2 x 4 legs. Cut legs to approximate height, then slide into Jiffy Jack to exactly the height you want. Lumber is 100% reusable. Absolutely the best units you can buy for uneven ground, ramps, stairways, etc. Each leg can be a different length in order to level scaffold. Lock positively. Safe and sturdy. Two Jiffy Jacks Make A Trestle, Weight 22 lbs. Two Jiffy Jacks F.O.B. Kansas City, Mo. 07 554 E3 .. \$14.35


SELF-DRILLING SCAFFOLD PLANK REINFORCING RODS

E • The simple, time-saving, inexpensive way to save split planks and to protect new planks. Easy and fast to use. Just use your electric drill to drill the rod through the plank as shown in the photo; twist the projecting end of the rod with the bending tool and hammer it into place. Simple, fast and easy. You'll save the original cost a dozen times a year in salvaged planks.

GUARANTEED THE LIFE OF THE PLANKS—These specially hardened specially sharpened steel rods are guaranteed to last the life of the plank! And they are the only plank reinforcing rods that can be tightened up again when the plank shrinks. Only special tools you need are the centering guide (to make sure you get the rod in center of plank) and the bending tool. If you use scaffolding, you can save with these Goldblatt Self-Drilling Reinforcing Rods. Shipped in bundles of 100 only.

100 Rods for 10" planks	07 451 E5 ..	7.65
100 Rods for 12" planks	07 452 E5 ..	7.65
Centering Guide and Bending Tool	07 449 E5 ..	2.75







A NEW! WIDER SIZES

Contractors,
Manufacturers,
Architects and
Journeymen Agree
"SCRATCH" FOR
BEST PLASTERING
RESULTS!

**PLASTERER'S
ANGLE
PLANE**



**SAVES
YOUR
TROWEL**



NEW!



**NEW!
GROUT GUN**

A • "PAL" SCARIFIER — Now, new production techniques make these scarifiers more rugged than ever, longer lasting. Completely "stress relieved" and made by a new welding method, they will last longer than ever before.

Modern plaster research has discovered that separation of the finish coat from the undercoats is always due to failure of the bond between these surfaces. This means you must scratch the undercoat to do a quality job that's going to stand-up. To help you "scarify," or scratch the undercoat properly, the Goldblatt Tool Company has developed this rugged, stress relieved scarifier. Use one on every plastering job. It guarantees quality.

This is the most popular scratching tool in the country. Ideal for this job. Extremely light, flexible steel tines make it easy to scratch undercoats speedily and with little effort. All welded construction. Steel handle with high carbon spring steel tines.

6" Scarifier.....	03 306 M7...	\$ 1.25
8" Scarifier.....	03 308 M7...	1.55
12" Scarifier.....	03 312 M7...	2.15
NEW! 14" Scarifier.....	03 314 M7...	2.45
NEW! 16" Scarifier.....	03 316 M7...	2.75

B • ANGLE PLANE—This patented tool is perfect for knocking down high spots, cleaning angles and scraping down walls. Use this tool regularly instead of scraping with your trowel blade and you'll be many, many trowels (and dollars) ahead over the long haul. This tool is built to take it. Nine blades, firmly attached to the body of the tool do the work more quickly and cleanly than you've ever done it before. Each blade is a full 1 1/4" deep. The tool is 11" long, 4" wide. A comfortable, unfinished float handle makes the tool easy to use.

03 300 H7...\$ 4.90

C • NEW! PLASTERER'S ANGLE PLANE — Save your trowel blade. Use this low cost angle plane for the trowel-beating job of cleaning angles, knocking down high spots and scraping down walls. You can buy this low cost tool at a price that makes using your trowel for these jobs ridiculous.

Made of high carbon steel, the tool has eight cutting edges. Blades are spot welded to the formed steel body. A comfortable, easy-to-use

wooden float handle is attached to the angle plane with two bolts. Length 10" overall. Width 4".
03 301 H7...\$3.15


D • NEW! GROUT MASTER GUN—This new tool grouts hollow metal doorbuckles and metal bases fast. This piston-type aluminum gun holds over a gallon of cement or gypsum plaster fill. Easy to handle, the gun itself weighs only 5 lbs. The hooked nozzle lets you direct the grout right into the hollow buck. Fills easily. Just stick the nozzle into the grout and pull handle out. Easy to clean and maintain. All welded aluminum construction cleans itself. Rubber plunger forces grout out and cleans inside of tube. A twist of the head removes the nozzle for cleaning. Neoprene ring seal at head. Specifications: Tube, 4" x 18"; Nozzle Diam., 1 1/16"; Length Overall (with plunger in) 30 1/2".
13 575 E5...\$59.50

E • NEW! PLASTERER'S ANGLE PLOW—This improved tool is made of a recently developed stiff stainless steel. We form the blade from one piece of steel! This design eliminates all sharp, exposed working edges. The sidewalls are 2 1/2" wide. The blade is set to an angle that helps you give just the right amount of pressure for clean, fast and easy inside corner forming. The steel in this tool is rust-resistant and almost self-cleaning . . . tough and durable. The lightweight steel mounting is centered on the blade for perfect "hang." Straight grain modern handle.
03 186 M7...\$ 3.25

F • NEW! STAINLESS STEEL ANGLE PLOW—Here is a rugged, easy to use new angle plow that makes all 90° angles with the least amount of effort. Reinforced back prevents cutting into the angle, lets you use the plow as a gauging scoop, too. You'll never have to scrape out the angle in order to white coat if you use this angle plow. You can cut an angle with this time-saving tool in one-fourth the time it takes you to do it with a trowel.


A built-to-take-it tool, it is made of stainless steel, carefully welded. Cleans easily. The smooth, finished hardwood handle is comfortable to use, mounted at just the right angle for the right wrist action. Stainless Steel Angle Plow.

03 187 H7...\$ 3.95






**NEW!
ANGLE PLOW**







**PROPERLY SCORED
MADE OF LIGHT
MAGNESIUM**



ALUMINUM



**STAINLESS
STEEL—
ABSOLUTELY SQUARE**



**FOAM PLASTIC
OR RUBBER**

A • "ARM SAVER" MAGNESIUM HAWKS—These fine hawks are made of a very light very strong magnesium alloy. They are very long wearing because they are cold rolled. The corners are carefully rounded for greatest possible safety and comfort plus better service—there are no sharp corners to bend up and snag your trowel.

A four-inch flange reinforces the center of the hawk gives it just the right feel. A bolt inside the handle screws securely into a $\frac{3}{8}$ " hub. Each Goldblatt hawk is equipped with a special sponge rubber callous preventer $\frac{1}{2}$ " thick. This new callous preventer is most comfortable, and holds up well.

HARD MAGNESIUM ALLOY HAWKS

Size	Weight	Cat. No.	Price
14"x14"	28 oz.	03 164 M7	\$3.85
13"x13"	28 oz.	03 163 M7	3.55
12"x12"	20 oz.	03 162 M7	3.20
10"x10"	18 oz.	03 161 M7	3.00

• SPONGE RUBBER CALLOUS PREVENTERS—Work well on any hawk. Each a half-inch thick. **03 149 H7**... \$.25

B • GOLDBLATT BLISTER BRUSH—Best felt brush you can buy! Uses two $4\frac{1}{2}$ " x 9" felts, $\frac{1}{2}$ " wide. They are held in place by an extruded aluminum clamp $1\frac{1}{4}$ " wide, $7\frac{1}{2}$ " long, with a 2" high spline that fits between the felts to hold them stiff. This makes them easy to use. New, 9" long straight grain wood handle with aluminum ferrule. A great buy, because it lasts for years. **03 222 H7** \$ 6.45
Extra Pair Felts **03 223 H7**... 2.25

C • BIG DUTCH BROWNING BRUSH — "Stand-in" for higher priced brushes. Big brush. Useful for browning and other purposes. White Tampico $6\frac{1}{2}$ " x 2" x 4" Out. **01 426 H7**... \$ 1.25

D • ALUMINUM ANGLE FLOAT—This is the most popular angle float in the country! Square, sharp edges. Tapered, beveled ends. Weighs only 9 ozs. Complete with comfortable handle. Perfect for brown coat work. 9" x 4" with $\frac{3}{4}$ " sidewalls. **03 261 M7**... \$ 1.75

E • NEW! SQUARE EDGE STAINLESS STEEL ANGLE FLOAT—Absolutely knife-edge square! Won't mark off! Outside edges have

"zero radius." Made by a new spot welding technique, the tool remains square throughout its life. Size: 9" x 4" x $\frac{3}{4}$ " sidewalls, with our best wooden float handle. **03 262 M7**... \$ 4.50

F • SPONGE RUBBER FLOATS—Here's a very attractively priced rubber float that's 8" x 4" x $\frac{3}{8}$ ". A size and type preferred by many plasterers. Sponge sheet permanently cemented to flat metal back. Compact, Dense Cell Structure. **03 271 M7**... \$ 1.47
Porous, Open Cells **03 281 M7**... 1.47

• WIDE SPONGE RUBBER FLOATS — Another new Goldblatt Float that's our answer to many requests for an unusually wide and thick sponge float. This one is a full 8" x 5" x 1". Flat metal back. A real honey! Available in two types: Compact, Dense Texture. **03 273 M7**... \$ 1.95
Porous Open Cells **03 283 M7**... 1.95

G • MOLDED SPONGE RUBBER FLOAT — This is our most popular sponge float—and it is made by no one else. The sponge rubber in this float is molded very compactly, with a dense texture. The shaped, molded rubber float face is then permanently cemented to a specially shaped back plate.

The texture of this float is as even and fine as any you will ever get anywhere. The float is fitted with our finest natural wood handle; the most comfortable to use handle yet devised. Float size is 8" x 4". **03 295 M7**... \$ 1.85

H • FOAM PLASTIC TEXTURE FLOAT — A long wearing texture float of a special formula foam plastic. Costs less than sponge, does an excellent job of bringing the sand to the surface. Easy to use. Most journeymen feel it does the job faster than a regular rubber sponge float. Gives a medium texture. Will give the best texture float service you ever had. 10" x 4" x $\frac{3}{8}$ " thick with comfortable handle. **03 502 M7**... \$ 1.65

• LONG SPONGE FLOATS—A big 10" x 4" x $\frac{3}{8}$ " float face is permanently cemented to a flat metal back. Two Densities. Compact, Dense, Cell Structure. **03 272 M7**... \$ 1.95
Porous Open Texture **03 282 M7**... 1.95

THE WORLD'S FIRST—AND ONLY
POWER


PLASTERING TROWEL
AND FLOAT

The E-Z TROWEL


- LEAVES A HIGHER QUALITY WALL
- LEAVES A BETTER LOOKING WALL
- LEAVES A BETTER PAINT SURFACE
- CAN ELIMINATE CHECK CRACKS

only \$176⁵⁰

B



Close-up of E-Z-Trowel, showing guard, switch and water valve. It weighs only 6 lbs.; operates on 110 Volt A.C. or D.C.



E-Z-Trowel flexible or rigid blades are easy to change; screw on or off quickly. Water sprays through stainless steel tube in drive shaft.

E-Z-Trowel case holds trowel, two sets of blades, extension cord and water tube. Water pressure tank is carried separately.



NEW
YOU CAN BUY
THIS PLASTER
SPRAYER ON CREDIT

C

PAY AS
YOU BUILD

ONLY
\$76.00
DOWN

A • The new E-Z-Trowel makes plastering easier, does a better job. An E-Z-Trowel wall is a better wall. It has a harder, more compact finish than you can leave by hand—architects compare it to a marble wall! An equal quality surface would take hours of hand troweling. The high quality, uniform suction wall allows the painter to leave a more attractive finish at a lower cost.

TO FINISH WALL WITH AN E-Z-TROWEL

1. Scratch first coat with hawk and trowel.
2. Double up with hawk and trowel.
3. Working over a green brown coat it's easier to draw up with hawk and trowel. Working over a high or medium suction background, draw-up with the E-Z-Trowel flexible blades. A little water lubricates the blades and softens the putty coat to fill cat faces and smooth out with material already on the wall.
4. The flexible blades do a good job within 2" of the angle. An angle float trues up the angle.
5. The stiff blades are for water troweling and are used when the putty coat is $\frac{1}{2}$ to $\frac{3}{4}$ set. An almost-set putty coat can be troweled with the power trowel.

The E-Z-Trowel includes: 1. Trowel and Guard. 2. Two sets of blades. 3. Water pressure tank. 4. Extension Cord and Water Tube. 5. Complete Instruction Manual. Operates on 110 Volt A.C. or D.C. 13 550 E3.... \$176.50

Only \$35.50 Down! Months to Pay!

E-Z-Trowel with Float Attachment (B, Below).

13 551 E3.... 238.00

Only \$47.60 Down, Months to Pay!

B • THE E-Z-FLOAT Gives wide variety of texture, produces float finishes of highest quality. On a three bedroom house, the entire stucco base coat was floated in about one hour! Consists of a rotating back plate that screws on the E-Z-Trowel shaft to replace blades. Six rubber float pads mount to individual flexible steel blades. A wide variety of textures can be made, depending on the material and texture of the pads. Extra pads and adhesive are furnished so you can get the texture you want. Easy float attachment only includes: 1. Assembled set of blades with mounted rubber pads. 2. Two extra sets rubber pads. 3. One extra set blades. 4. One speed control.

13 555 E3.... \$ 61.50

C • NEW! PRECISION-MADE E-Z-TEX PORTABLE SPRAY UNIT—Applies gypsum and sand finished, texture acoustic plaster, sprays exterior stucco finishes, texture paint or touches up damaged or soiled acoustic plaster. Powered by a sturdy 1 hp, 110 Volt motor. The air compressor is the same type used in the large E-Z-On plastering machine with a specially designed pressure regulator for adjusting texture. To insure continuous operation, it has an air filter and lubricator that runs 50 hours on one filling. STAINLESS STEEL HOPPER is easy to clean. Tilted for better balance, easier handling, it is corrosion-proof.

"ONE-HANDED" ALUMINUM GUN—The exclusive trigger mechanism gives instant spray control. Locks in any position to get the exact spray required. Or lock it for continuous spray.

STAINLESS STEEL ORIFICES—Four orifices give you a complete range of textures. They're stainless steel to avoid discoloration or corrosion.

NON-CLOGGING SEAL—Exclusive E-Z-Tex seal on gun prevents sand, cement or other material from getting between movable air stem and guide bushing. Insures trouble free operation and easy cleaning.

SNAP-ON HOSE COUPLING—Disconnect hoses quickly and easily. Air hose joins to cartridge instead of air stem. This means that a pull on the air hose can't affect your pattern.

CHANGE COLORS IN ONE MINUTE—Just hose out the hopper. No fuss.


COMPLETE MOBILITY—Entire unit mounts on rubber tired cart with removable handle. Metal Cover protects entire unit when not in use. It is 22" long, 21" wide and 20½" high. Weighs 130 lbs.

E-Z-Tex Portable Spray Unit Complete with 50' hose 13 321 E3. \$380.00

E-Z-Tex Gun Only with 50' Hose 13 322 E2. \$101.50

E-Z-Tex Gun Only (Without Hose) 13 323 E2. \$ 81.50

For a Complete Line of Tools See Our 1960 ANNUAL CATALOG



A ● NEW! FEATHER ROD—Use it all day without hand cramp. Designed so you can really get a grip on it. Light! Weighs less than any other featheredge we know of. Keeps your hands out of the mud. Use it as a browning rod. Put a 1" board in the notched handle to make a perfect rod. Can't warp. Made of hard, strong aircraft alloy. Sun, water, mud can't touch it. Dress it down again and again. Working edge is 2" wide. Lots of blade for extra-long life. Good for any job—scratch, brown or finish coats. Perfect for cutting out corners. Low Cost, five sizes. Worth twice the price. Buy them in cartons of six. Save 5%.

4' Feather Rod (2 lbs.)	13 774 H7	\$ 7.95
5' Feather Rod (2½ lbs.)	13 775 H7	8.95
6' Feather Rod (3 lbs.)	13 776 H7	9.95
7' Feather Rod (3½ lbs.)	13 777 H7	10.95
8' Feather Rod (4 lbs.)	13 778 H7	11.95

B ● ALL PURPOSE PLASTERING "SHINGLE"—New Wha-Lite tool, fine for browning, finishing and any plastering job. New "Finger-Grip" grooving along both sides for more comfortable work. Ends completely closed, reinforced. Top quality throughout.

4' Shingle, (2 lbs. 14 oz.)	13 744 E3	\$ 8.70
6' Shingle, (4¼ lbs.)	13 746 E3	13.35

C ● SINGLE BEVEL FEATHEREDGE—Popular Wha-Lite design. Leaves angles so clean you'll seldom have to float. This fine quality tool improves workmanship on Zonolite, Perlite, Acoustic Plaster, etc. Extremely light. 4½" wide. Finest tool of its kind.

5' Featheredge, (3 lbs. 10 oz.)	13 765 E3	14.85
6' Featheredge, (4 lbs.)	13 766 E3	16.40

D ● NEW WEDGE-SHAPE MAGNESIUM DARBY—This all-magnesium Darby is for the man who wants the best. Made of the precious magnesium alloy used in military and commercial aircraft, it is tough as hardest steel and lighter than aluminum. Weighs only 1½ pounds. The

47½" x 42" blade tapers from ¼" to 1/16" to do a smoother job easier and faster. Cleans up quickly—no grooves to catch plaster. No handles to interfere with corner work. 47½" x 42"; 1.8 lbs. **13 701 H3 \$ 9.00**

E ● G. I. BELT—Hang your Nail Bag on this sturdy woven G. I. Pistol Belt, with non-rusting, hard wearing clasp. Take the strain off your regular belt **04 452 H7 \$1.98**

F ● LATHER'S PAL LEATHER NAIL BAG—Soft, heavy chrome tanned split cowhide, stitched with linen cord drawn through wax. Smooth rivets on both sides can't scratch hands. 14½" x 10". Pocket depth, 9" **04 451 H7 \$2.95**

G ● PLASTIC GRIP STAINLESS STEEL SLIM NOSE MAGNETIC NAIL HOLDER—6" long, with plastic dipped handle for easy-on-the-hands use all the time. Nose is only ¼" in diameter to let you set nails in channel. Has permanent Alnico V magnet permanently set in nose. Made of ⅝" hexagon stainless steel stock, dipped in vinyl plastic **04 155 M7 \$4.75**

H ● CHROME STEEL MAGNETIC NAIL HOLDER—Heat treated steel insert with Alnico V permanent magnet. Comfortable-shape, well-balanced tool 5½" long with ¾" shank. **04 152 H7 \$4.75**

J ● UNBREAKABLE ESTWING SUPREME LATH HATCHET—With Replaceable Blade. This unbreakable lath hatchet has a razor sharp replacement blade. One piece construction forged of finest steel. Exclusive Nylon-Vinyl cushion grip is molded on and will never loosen, age or wear out. Scored face prevents glancing blows, flying nails. Has rounded corners so you won't cut your fingers. Blades replace easily by removing two round head screws. 1¼ lbs. **04 300 H7 \$6.75**
Extra Blades—Razor sharp. Pack of 4. **04 303 H7 \$1.00**




VINYL COATED
STAINLESS STEEL



\$4.75
CHROME STEEL





ELEVATOR STURDY STILTS

ONLY
\$37.50
a pair




W. Allen Bond, of the Bond Dry Wall Company says, "Let me say that I'm very well pleased with my stilts. I'm glad I don't have to pay you the money they save me!"

4 1/2" x 7 3/8" Cast Aluminum Base Has Three Solid Rubber Treads!




ADJUSTABLE HEIGHT STILTS

COMFORT
POSITIONS



B



C

FIXED HEIGHT STILTS



A • ELEVATOR STURDY STILTS — Extremely light, adjustable stilts with thick, non-skid rubber base. All aluminum, these stilts weigh only 4 lbs. each. Fully adjustable from 6" to 26". Individual stirrups adjust to give you the best feeling of balance. These stilts are described as "the easy way to plaster a ceiling without getting down to move the ladders and scaffolding" by the country's most popular picture magazine. They make scaffolding obsolete. Plasters, dry-wall applicators, lathers, painters, acoustical tile applicators—almost all crafts use them. Get your work done in less time, forget about setting up and tearing down scaffolds—and you won't scuff doorways or walls because you're not swinging heavy planks around.

STURDY STILTS (Pair) .. 07 106 E4.. \$37.50

Replacement Parts (Except for heel and toe straps, specify right or left.)

Heel Straps (pair)	07 236 E2	.. \$.85
Toe Straps (pair)	07 237 E2	.. .85
Stilt Tube	07 242 E2	.. 3.00
Stilt Pad	07 241 E2	.. 4.25
Foot Casting	07 238 E2	.. 5.00
Large Base	07 239 E2	.. 5.00
Rubber Pad (Large Base)	07 243 E2	.. 2.00
Small Base	07 240 E2	.. 4.25
Rubber Pad (Small Base)	07 244 E2	.. 1.75

B • SHU-JAX "WALKING SCAFFOLD" STILTS—Here are the only stilts made with genuine "walking action." The time-tested construction of these very lightweight stilts makes it possible to wear them for long periods with no unusual leg fatigue. These stilts have a mechanical ankle and special spring to supplement your leg muscles. The spring is adjustable to your weight. Bend your leg forward, the stilt foot stays solidly on the ground, while the "stilt ankle" flexes.

These stilts are completely adjustable to your needs. Adjustable every inch from 18" to 28" height. They have more "comfort" adjustments than any other type of stilts on the market so this means that you get exactly the perfect balance and feel you need to work easily. Your shoes remain permanently attached to these stilts.

They are made of selected aluminum alloy for lightweight combined with sturdiness. All bolts, nuts, washers, brackets, bushings and springs are made of cadmium plated steel. Shipped complete with full instructions, wrenches to fit all adjustment nuts and drills for mounting shoes.

07 107 E7...\$54.00

"Your tools are the strongest and last the longest."

Irvin Ciotti
Pittsburgh, Penna.

C • SHU-JAX "ONE HEIGHT" STILTS—These are the famous Shu-Jax fixed-height stilts in 16", 18", and 20" heights. These stilts are the same high quality as the adjustable stilts above. The only difference is that these stilts do not have telescope struts to adjust height.

If you always work to the same height, these stilts are just the thing for you. If you are working on a tract and have many houses that are all the same ceiling height, these stilts are for you. The fixed height stilts give you every one of the "comfort" adjustments that adjustable-height stilts have, but they cost less.



These stilts use the famous Shu-Jax mechanical ankle to walk as you walk, relax as you relax. They are the least tiring of all stilts, because they have a special spring to help your leg muscles offset fatigue.

They are made of selected aluminum alloys for light weight combined with sturdiness. All bolts, nuts, washers, brackets, bushings and springs are made of cadmium plated steel. Shipped complete with full instructions, wrenches to fit all adjustments, nuts and drills for mounting shoes.

16" Stilts	07 233 E7	...\$36.00
18" Stilts	07 234 E7	... 39.00
20" Stilts	07 235 E7	... 39.00

NOTE: 12", 14", 22", 24", 27", or 30" Stilts available on special order. Immediate shipment from Factory.

DRYWALL HAWK



A • NEW! STAINLESS STEEL DRY WALL HAWK — The hard, abrasion-resistant stainless steel blade stands up to constant scraping of 5", 8", and 11" knives. Hawk is 12" x 6" with a 1½" lip. The comfortable handle fastens securely but detaches easily. The handle's sponge rubber "doughnut" cushions the load and serves as a callous preventer. This fine tool has been designed specifically for dry wall work. **05 460 M7 \$ 2.75**

B • TRIO: THE REVOLUTIONARY 3-IN-1 DRY WALL FINISHING TOOL—This amazing "triple threat" knife shears! feathers! and finishes! It has three interchangeable and replaceable blades: An 11" x 4" blade with a concave edge (x, above) shears, feathers and finishes; an 11" x 4" blade with a straight working edge for flat work and tight shearing of flat surfaces or skimcoating when skim coat tools aren't available; and an 8" x 4" concave blade shears and finishes.

Each blade locks securely and quickly into the light-weight aluminum blade clamp by means of two small brass wing nuts. Joint tape can be slipped into the blade clamp to shim blades to most any desired "bow." Every blade is of the

correct gauge steel for proper flexibility. The durable, comfortable Tenite II plastic handle hangs just right for perfect balance. Complete with 3 stainless steel blades. **05 450 M7 \$ 4.95**
Complete with 3 carbon steel blades

05 452 M7 4.25

C • ELASTIC KNIVES — High carbon steel blades perfectly hardened and ground for fine flexibility . . . and polished to a mirror-like finish to retard rusting. Comfortable handles are molded of a shatter-proof plastic. Brass "Hammer" Head.


5" Knife with Brass Head **05 530 H8 \$ 2.50**
6" Knife with Brass Head **05 533 H8 3.00**

D • SHEAR BLADE SPOTTING KNIFE — This special brass headed 6" knife is of the same fine quality as those described above. Concave shearing curve of .050" in the blade. A particularly valuable knife for shearing excess joint cement from nail spots. Shear Blade Spotting Knife **05 538 H8 \$ 3.50**



TRIO

3-in-1 Drywall
Finishing Tool





Three Blades,
One Curved to
Shear & Feather


E • NEW! LONG HANDLED BROAD KNIFE —Light enough to do the job—but strong enough to outlast other types. This lightweight tool has a spring steel blade 7" wide, with rounded corners. The blade is attached to a magnesium handle to give you a tool 17½" long. The tool is reinforced with a lightweight aluminum casting where it is attached to the handle. This tool will wear out before you break it in normal use! **05 440 M7 \$3.15**

F • NEW! GOLDBLATT FLEX-BLADE DRYWALL KNIFE — This new flexible blade drywall knife can be bent to give the blade a curved shape. Made of tempered spring steel with an extremely flexible blade, the tool comes in two sizes: 10" x 5" and 12" x 5". Blade depth is 3¼". Handle is 7" long. The tool is 10¾" long overall. An excellent tool for the professional finisher. Because of the ability to curve the blade, you can use it to featheredge or skip trowel. Extremely light. The comfortable wooden handle is easy to use all day long with a minimum of fatigue.

10" Drywall Knife.....**05 560 M7 \$2.95**
12" Drywall Knife.....**05 562 M7 3.25**



Curved
Blade for
Shearing



NEW!

For a Complete Line of Tools See Our 1960 ANNUAL CATALOG




NOW! TWO MODELS OF GOLDBLATT'S DRYWALL BANJO

Thread Tape Either of 2 ways: for overhead joints, for wall joints.

A

ONLY
\$19⁹⁵

Tape and cement are in separate Compartments.



B


Precision Cement Control . . . Load 500' Roll instantly . . . Fill entire tool with cement . . .

New Low Price
\$19⁹⁵



Perfect Corner Taping

103° ANGLE
FLEXES TO 90°
FOR PERFECT,
TIGHT CORNERS



C

A • "DRY-TAPE" GOLDBLATT BANJO—A tool drywall men have asked for again and again. A new "two compartment" version of our old reliable taping machine. With this new version tape and mud are kept separate. Tape never gets soggy or wet, never loses its tensile strength. Cover is cut away so you always have visible tape supply. Works the same as our regular banjo. Just draw tape along the joint to apply both tape and cement in one easy, fast motion. Mud is controlled by thumbscrew-operated nozzle. You can apply as much or as little as you like with this tool. Rubber gasket seals mud in. Well balanced for tireless use.

This new model can be threaded two ways. As shown in illustration for ceiling work, or straight across for sidewalls. Made of deep drawn aluminum. Goldblatt float handle is comfortable and easy to use. Holds full 500' roll of tape. Two thumbscrews hold cover.

"DRY TAPE" BANJO.....15 301 M7...\$19.95

B • BANJO DRYWALL TAPING MACHINE—Our old reliable—just draw the tape along the joint to apply both tape and joint cement in one fast, easy operation. Better than any other method we know of! Most operators tape five times as fast, with Goldblatt's Banjo Taping Machine. The "Banjo" is made of deep drawn, lightweight aluminum with Goldblatt Comfort Float Handle. It's perfectly balanced for long, tireless operation. Weighs less than 3 lbs. empty. Has air-tight, water-tight rubber seal. Mud inside the Banjo won't set for hours. You control amount of mud applied along with tape by a thumbscrew-controlled nozzle within the machine. Three to five fillings of mud are enough to strip 500' roll of tape. Apply tape in one movement and cut it with a twist of the wrist. Can be threaded two ways: for ceiling, or as shown in illustration for sidewalls.15 300 M7...\$19.95

C • CORNER TAPING TOOL—Highly-flexible stainless steel. Blade formed from one piece of steel! This design eliminates all sharp, exposed working edges, eliminates tape snagging. Sidewalls are a full 4" wide. Blade is set to the proper angle for clean, fast and easy inside corner taping. Steel is rust-resistant and almost self-cleaning, tough and durable. Lightweight aluminum mounting has perfect "hang."

05 520 M7 \$ 4.50

D • ALL-AROUND CUTTER—Cuts sharp, clean, round holes up to 12" in diameter quickly and easily. Case-hardened steel cutting blade cuts wallboard perfectly. Stays sharp indefinitely! $\frac{1}{8}$ " calibration insures accuracy. Easy, one hand operation and perfect control. No slips in operation.
Chromeplated05 141 H7...\$4.00

E • GOLDBLATT HIGH-SPEED OUTLET CUTTER—Fast workers take at least 90 seconds to saw an outlet box by hand. With this tool, the job takes only 30 seconds! You save one hour of labor for every 60 outlets cut.

To cut any size outlet hole, snap 4-sided cutter plate into outlet box before wallboard is put in place. After board is in place, mark approximate center of outlet box. Note: Pilot hole may vary $\frac{1}{2}$ " in any direction from center line and Outlet Cutter will still cut perfect hole. Cut Pilot hole with "pilot hole cutter" on tool. Then insert tool into male cutter through pilot hole and cut hole with steady pressure on the small handles. Result: A perfect hole in 30 seconds. Each hole is punched out "die-cut clean." Cuts perfect holes for single or multiple switchboxes in all gypsum wallboard, $\frac{3}{8}$ ", $\frac{1}{2}$ " and $\frac{3}{4}$ ".


NO "LEARNING TIME!" Anyone can operate the Goldblatt High-Speed Outlet Cutter the first time he picks it up.

All models are made of Cadmium plated steel. Designed for long life, efficient operation. They work right every time.

• STANDARD HIGH-SPEED OUTLET CUTTER—Cuts a $2\frac{3}{8}$ " x $3\frac{1}{2}$ " hole. Complete with pilot hole cutter, one 4-sided male cutter and one 3-sided male cutter for cutting duplex openings.
15 272 M7...\$19.95


• Buy Extra Male Cutters for All Outlets
12 3-sided male cutters...15 292 M7...\$19.50
12 4-sided male cutters...15 295 M7... 19.50
One 3-sided male cutter...15 296 M7... 2.15
One 4-sided male cutter...15 297 M7... 2.15
Female Cutter Head...15 282 M7... 5.50

• LARGE HIGH-SPEED OUTLET CUTTER—Same as above but cuts 2" x 4" outlets. Complete with two 4-sided male cutters and pilot hole cutter...15 274 M7...\$19.95
Extra Male Cutter...15 294 M7... 2.50
Female Cutter Head...15 284 M7... 5.50



HIGH
SPEED
OUTLET
CUTTER

E



A

A ● DRYWALL TOOL POUCH — Made of perfect top-grain quality leather. Takes long, hard use and abuse. Designed to hold the tools you use most often. Has a good, big belt loop; wide strong hammer loop; two knife scabbards and a pencil holder. Pouch also carries the all-around cutter (Item C). Loops are riveted to the pouch to stay—won't pull apart. A tool for the expert that makes work go faster and easier. Pouch only.....**05 176 M7.....\$4.50**

B ● UTILITY SAW—6" blade cuts wallboard, wood, masonite, plywood, etc. Comfortable hardwood handle. Sharp point for easy penetration. Not necessary to drill before using.
05 143 H7.....\$1.95

C ● NEW! NAIL BAG-TOOL HOLDER — This new leather pouch for drywall carpenters holds both nails and tools in one lightweight unit. Designed to fit over a regular belt, the pouch is made of rugged, but medium-soft, fine tanned leather both stitch and riveted for maximum strength and usefulness. In addition to nails, it holds a measuring tape, drywall hammer, utility knife and hole saw. The empty pouch weighs only 7½ ozs. It is 7½" wide, 6½" deep.
05 175 M7.....\$6.98

D ● CALIBRATED T-SQUARE — Measures from either top or bottom because it's ruled in two directions. Big numbers make reading easy. Calibration, ¼". Blade is 1½" x ¼" x 47½" to match the width of a wallboard panel. Heavier blade gives better cutting edge. Head is 22½" x ¼" x 1½". Made of a heavy duty magnesium alloy. All edges are square and clean. Head notched so knife can be nosed into it to cut full width of panel. Head ruled for measuring from either end of a sheet, lies flush against board because it is flexible.
05 120 M7.....\$7.75

E ● AMES BLOCK SANDER—Here's a rugged block sander built for day-after-day use. Sponge rubber face helps make invisible

NEW!

C

feathered joints. The lightweight aluminum handle is shaped like an I Beam for rugged strength. Two clamps tighten aluminum bars to hold sandpaper in place. Face of tool is 3¼" x 9¾". Weight only 11 oz.....**05 441 H7.....\$4.50**

F ● CEILING SANDER—9" x 4" sponge rubber face securely cemented to aluminum base. Two heavy duty clamps lock sandpaper in place quickly, easily. Lightweight 5' wood handle is easily detachable.
15 318 M7.....\$6.75

G ● AMES UNIVERSAL LONG-HANDLED SANDER — Patented "Universal" swivel device on this sander attached to 48" handle lets you sand any part of room—including ceiling and wall side of ceiling angle—from the floor. Made of featherweight aluminum alloy. 9½" long, 3¾" wide. Two positive paper grips hold sandpaper positively against rubber pad**15 317 H7.....\$7.95**

H ● HAND SANDER—9" x 4" sponge rubber face permanently cemented to aluminum base. Two heavy duty steel spring clamps lock sandpaper quickly in place. "Float" style handle is comfortable and just right for wall sanding.
15 316 M7.....\$3.75

J ● CORNER SANDER—A real time and trouble-saver! 5' handle makes sanding of the toughest ceiling corners easy! Steel sanding block is 4" long, has 4½" sides. A half sheet of any standard sandpaper fits perfectly, inserts quickly**15 320 M7.....\$6.75**

K ● "WON'T LOAD" SANDPAPER—Perfect for drywall work. 80 grit will not load up. Fits all tools on this page. In roll form, you buy at a good price.

30' x 4".....**15 502 H7.....\$3.75**
150' x 4".....**15 503 H5.....11.55**
Six 105' Rolls.....**67.00**
Six 150' Rolls.....**67.00**



IMPROVED
DRYWALL
T-SQUARE
CLEAR
MARKINGS
MEASURE FROM
EITHER END

D

BLADE
EXTENDS
WIDTH
OF BOARD




NEW! Ames Block Sander

E



F



H



J



K



**DIMPLES,
BUT WON'T
BREAK PAPER**



**UNBREAKABLE
DRYWALL
HAMMER**



**DRYWALL
FOOT LIFT
ONLY \$3.95**



A • "KNUCKLE SAVER" HAMMERS—TOOL STEEL WALLBOARD HAMMER—Here's a tough-as-they-come hammer at an easy-to-afford price. This rugged tool steel hammer has all the desired features of the more expensive Chrome-Moly Steel hammer below. The handle is offset to give proper knuckle clearance. The head has circular target-style grooves to dimple the board without breaking the surface paper. Handy nail puller on the wedge-shaped tool steel blade. 14" handle has just-right balance. A fine tool worth more than the money. **05 162 M7....\$4.95**

B • CHROME-MOLY STEEL HAMMER—Properly rounded and checkered head dimples wallboard perfectly for proper nailing and easier spotting. Head won't bruise wallboard or break the paper. The comfortably-shaped 14" hickory handle is offset in head to eliminate rapped, sore knuckles. Wedge-shaped hatchet blade has handy nail puller and is designed to help shift or pry board easily into place. A perfectly balanced tool made of rugged Chrome-Moly Steel. **05 161 H7....\$6.00**
Handle Only **05 163 H7.... .75**

C • NEW! FIRST UNBREAKABLE DRYWALL HAMMER—Here is the first unbreakable drywall hammer ever made. One piece construction guarantees this hammer will not break in all normal use. Has a crowned, scored face to make just the right dimple without breaking face paper on the board. Permanent vinyl-nylon grip is the same comfortable, shockproof grip used on unbreakable brick hammers. Angled blade. Fine balance. Polished Steel. Unbreakable Drywall Hammer..... **05 160 H7....\$6.50**

D • NEW! DRYWALL LIFTER-CARRIER—Here it is, another Goldblatt Exclusive for the Drywall Workman—two tools in one. Carry a full size board with this rugged, lightweight cast aluminum tool. Set the board in place, and your carrier becomes an easy-to-use lifter. Just step down to lift drywall into nailing position. The rugged, cast aluminum weighs only 2 lbs. No parts to wear on this one-piece tool! Lasts a lifetime. Can also be used for carrying plywood and other sheet materials. Holds one sheet only. Drywall Carrier-Lifter **05 170 M7....\$ 5.25**

E • NEW! DRYWALL FOOT LIFT—An easy-to-use tool that's easy to scoot around on your foot. It's a honey. No parts to wear out. It's all one piece, so it will last forever. Always sits right side up. Doesn't matter if you drop it, kick it, throw it or push it, it always turns itself right side up. Positive control. With the "stirrups" on this lightweight aluminum tool you can put it where you want it with your foot. No need to bend over or chase it all over the place. A husky aluminum casting, 11 1/2" long, 5 1/4" wide overall. **05 173 H7....\$ 3.95**


F • JIFFLER MUD MIXERS—These patent pending dispersal wheels are scientifically designed to mix mud in minutes. They work so smoothly and quickly you won't believe it. No lumps. No air in the mix. These mixers make all other drill operated mixers seem like toys. Use your own drill and mixing drum. The Jiffler wheels and shafts are made of plated carbon steel. Shafts are milled on the chuck end to prevent slipping. Shipped knocked down. Instructions included. For 3/8" drill (not illus.) (800 to 1500 rpm) 3/8" x 24" shaft. Two 5" wheels. Mixes 5 gal. batch in 2 minutes. **15 310 H7....\$8.15**

For 1/2" slow speed drill (not illus.) (500 to 700 rpm) 1/2" x 24" shaft. Three 5" wheels. Mixes 2-sack batch in 1 1/2 mins..... **15 311 H7..\$11.35**
For 1/2" Heavy Duty Drill (illus.) (500 to 750 rpm) 1/2" x 24" shaft, two 6 1/2" wheels. Mixes 2-sack batch in 1 min..... **15 312 H7....\$16.95**

G • GYP-C-JACK—No more struggling, no more back-breaking strain to position wallboard on the ceiling. You do a neater faster job with less work with a Gyp-C-Jack. In seconds, you lift a 4' x 12' gypsum wallboard into place for nailing. Easy to use. Time saving. Has 3 simple parts: 1) 21" x 21" cast iron base with creeper casters; 2) spring steel spider-arm top to hold gypsum boards; 3) jack assembly to lower or raise top. Won't get out of order. Gyp-C-Jack low height is 6', raises to 9'. Why strain? Buy a Gyp-C-Jack and do the job easy and right. F.O.B. Cedar Rapids, Iowa.

Gyp-C-Jack **15 151 E6\$114.80**
1' extension **15 152 E6 2.40**
2' extension **15 153 E6 4.80**





A • NEW! ADJUSTABLE HOLE SAW—CARBIDE TIPPED—This brand new carbide-tipped hole cutter fits in any 1/4" electric drill or drill press chuck. Adjusts instantly by rotating knurled ring. Cuts holes any diameter from 1 1/4" to 2 1/2" in seconds. No chipping. No hammer, no vise needed. Perfect holes every time. Will save you time every day. All metal construction. Rugged. Cleverly designed. The hottest new tile tool we've seen in years. **12 208 H7.....\$19.50**
• REPLACEMENT CARBIDE TIPS FOR TILE HOLE — Set of three replacement tips for above hole saw. **12 209 H7.....\$ 7.98**



B • PORTABLE TILE CUT-OFF MACHINE—Scores and saws all types of tile—encaustic, vitrified, quarry, hard and brittle materials. Makes perfect angles, square cuts, accurate miters and uniform segments for edging circles. New 1/2 h.p. G.E. electric motor and all accessories included, nothing else to buy. Has new easy-to-reach switch in back of machine. The motor, spindle, tubular steel frame and tracks bolt into one compact, easy-to-carry unit that instantly hooks over tub. New submerged coolant pump floods cut-off blade at all times with coolant from tub.

Lightweight aluminum rolling table is smooth and grab free, extremely sensitive to "feel." Rides on rust proof brass rollers. Special sealed ballbearing quill prevents entrance of water and grit into spindle and bearings. New replaceable spindle quill permits quick repairs.

New "Blade Saver" collars get a solid sheet of water under the air blanket surrounding the blade. Water starts from the hub, floods outward. Slushes cut as well as blade with powerful centrifugal force. Adds 25% or more blade life, removes excessive sludge, eliminates scorched blade and tile. Attention free performance.

Belt is fully guarded. Galvanized tub serves as soaking tub and coolant container.

SPECIFICATIONS—Complete with long-life 6" Kimberley diamond blade, 90° tile cutting protractor, 45° miter jig, rip fence, and trim-tru circle cutter.

Table Size—8 1/2" x 15". Max. Table Travel—12 1/2". Depth of cut—6" blade—1 1/2". 8" blade—2 1/2". Arbor Diameter—5/8". Max. Height with Tub—22 1/2". Tub size—24" x 24".

Deepest blade setting below table top — 1". Net Wt.—55 lbs. Shipping Wt.—61 lbs.

F.O.B. Kansas City.....**12 610 E2.....\$189.00**
 F.O.B. Torrance, Calif.**12 611 E2..... 185.00**

Replacement Parts Available.

C • KIMBERLEY DIAMOND CUT-OFF BLADES—These blades make an exceptionally smooth cut, free from grabbing and with no chipping of glazed tile surfaces. The greater rigidity of these blades eliminates wheel wobble. Best low cost, metal-bonded diamond blade yet developed for tile and ceramic industry. These wheels are car-

ried in stock. Body thickness, .055". Standard 3/8" arbor hole.

6" Diamond Blade**12 236 E2.....\$21.20**
 8" Diamond Blade**12 238 E2..... 29.20**

D • TILE CUTTING MACHINES—In one fast, easy operation these hand-powered machines score and break wall tile, bull nose, shoe base, thin vitreous and quarry tile without moving the tile. This is a perfectly engineered machine, has only one moving part . . . absolutely no springs or adjustments. Made of a tough aluminum alloy in six sizes. Each machine scores and breaks tile up to 3/4" thick. Illustrated directions furnished.

• ADJUSTABLE TILE CUTTING MACHINES STANDARD—12" x 12" board with adjustable handle. Has working table 6" on each side of breaking ridge. Only one moving part!

With 6-wheel turret**12 202 H7.....\$13.85**
 Spare Pair Pads**12 216 H7..... 1.10**

LARGE—13 1/2" x 15" board with adjustable handle. Working table 7 1/4" on each side of breaking ridge. Only one moving part!

With 6-wheel Turret**12 204 H7.....\$15.75**
 Spare Pair Pads**12 217 H7..... 1.60**

E • MIDGET TILE CUTTING MACHINE—Complete with a three-wheel turret. Cuts tile up to 6" wide. Overall size 6 1/2" x 11". Weight only 4 1/2 lbs.**12 200 H7.....\$10.70**
 Spare Pair Pads**12 215 H7..... .79**

F • NEW! SHEET-TILE CUTTER

Score and break a full sheet of tile (up to 24") with this new tool. Saves time. Same sturdy construction as other cutters. Working table 12" x 24"; overall 31 1/2" x 12". Complete with Carboloy cutting wheel.....**12 205 H7.....\$31.95**
 Spare Pair Pads.....**12 218 H7..... 6.00**


• CARBIDE CUTTING WHEEL—The hardest man-made metal—nearly hard as diamonds. Lasts many times the life of ordinary wheels. Economical, no change-overs; fast; one cut. **12 221 M7.....\$3.75**

• HARDENED STEEL WHEEL TURRET—Six tempered steel wheels per turret. Cut fast and economically. Two turrets per pkg.**12 226 H7.....\$1.99**

As Low As \$162.50

PAY AS
YOU BUILD

ONLY
\$32.50
DOWN



BETTER BALANCE—Center of gravity is inboard, increasing stability during use and transportation.



CONVENIENT PORTABILITY—Head lifts free of tub.

BIG 1/2 H.P. G.E. MOTOR—More power and smoother operation.

MAXIMUM BLADE VERSATILITY—Uses 6" or 8" blades.

GALVANIZED TUB—Soaks tile, permits indoor cutting.

No blade climbing! Special table design allows unusually deep blade setting. Thus, blade force is down not forward.





A

B



C

HEAVY DUTY TOOL BAGS—Built around a rugged but light, 12 gauge steel frame, this heavy duty canvas tool bag was designed for your tools. Seams are sewed with linen thread on a hot wax, lock-stitching machine—they will not rip. All handles, billets and buckles are riveted to the steel frame. Available with a heavy leather reinforcing wall three inches wide at the bottom of the bag—or without the leather wall. Both styles have a sturdy, 20 point waterproof board bottom as absolute protection against water. Easy to handle on the job and off. Good looking, too. Five sizes, and two styles. Order your choice. Each bag has an inside pocket for small tools.

A ● With 3" Leather Reinforcing Wall	
18" long, 15" deep.....	09 118 H7...\$12.15
20" long, 16" deep.....	09 120 H7... 12.75
22" long, 17" deep.....	09 122 H7... 13.15
B ● Without Leather Reinforcing Wall	
16" long, 14" deep.....	09 216 H7...\$ 6.75
18" long, 15" deep.....	09 218 H7... 7.25
20" long, 16" deep.....	09 220 H7... 7.65
24" long, 18" deep.....	09 224 H7... 8.35

"Bought inferior tools. Won't make same mistake again. Intend to buy only Goldblatt tools."

Frank Goodship
Kirkland Lake, Ont., Canada

C ● **NEW! VINYL-LEATHER TOOL BAG**—This handsome, sturdy tool bag looks and feels like genuine leather. You can't tell it from the real article. It is made of the very same heavy 48-oz. canvas-backed vinyl material that is used to make the finest bowling bags—so it will withstand heavy wear. Brass buttons on the bottom protect the bag from wear, even when you set it on abrasive surfaces. Straps are top grade leather, with heavy duty chrome plate buckles. The body of the bag is steel reinforced. Has heavy duty board bottom. Double handles make it easy to carry, even if overloaded. 20" long, 15" deep. Can't be beat at this price!

Vinyl-Leather Bag 09 520 H7...\$13.85

A NOTE FROM GOLDBLATT

Dear Friend of Goldblatt

This has been a rough year in the building business. Late in '59, we had the steel strike. Early this year, we had a very severe winter, and the latest Spring in many years. Then a series of building trades strikes cost a lot of hard working tradesmen and contractors many man hours of work.

Perhaps that's why you haven't mailed an order to us. At least -- I hope that's the reason. Because I'm happy to say that BUILDING HAS TURNED THE CORNER -- we're on the up-grade again. That means that if you haven't been working, you soon will be. And, if you have been working, chances are you'll work later into the Fall than usual.

Because building is picking up, I wanted to take this space on the cover of the 1960 Fall Bulletin, to ask you to try ordering by mail. You know, we guarantee satisfaction or your money back. So, there is an advantage -- we'll mail the tools to your home, or direct to your job site.

To make sure you work every possible hour during the remaining nice weather this Fall, check your tools and equipment now; Then, buy the tools you need -- right now. Whether you buy direct from the factory, or from your favorite dealer, be sure to buy soon. Don't lose a minute for lack of a tool.

Check the tools in this book now. If you don't see the tool you need in this catalog, look in the 1960 Goldblatt Tool Catalog I sent you earlier this year. If you need another copy of it, write for it.

Sincerely,

Norman Goldblatt

Norman Goldblatt

SEE THESE NEW TOOLS INSIDE

- **FORCED-AIR SALAMANDER**.....Page 15
 - **ROLLER BUG CONCRETE TAMPER**.....Page 16
 - **LOW COST PLASTERER'S ANGLE PLANE**.....Page 22
 - **TWO NEW DRYWALL KNIVES**.....Page 27
 - **NAIL BAG-TOOL POUCH**.....Page 29
- COMPLETE LINE OF HEATERS ON PAGE 15!**

GOLDBLATT TOOL COMPANY

1910 WALNUT STREET
KANSAS CITY 41, MISSOURI



MR. POSTMASTER:
Form 3547 Request
Forwarding Postage

KANSAS ST
FRANKFORT ILL